

633.3409773

So96

2002

UNIVERSITY OF
ILLINOIS LIBRARY
AT URBANA-CHAMPAIGN
ACES

053.3409113

SO 96

2002

Soybean Variety Test Results in Illinois -2002



Crop Sciences Special Report 2002-04

Performance Information Provided by

UNIVERSITY OF ILLINOIS AT URBANA-CHAMPAIGN

Department of Crop Sciences

<http://vt.cropsci.uiuc.edu/>



College of Agricultural, Consumer and Environmental Sciences



CONTENTS

TEST PROGRAM	2
PERFORMANCE DATA	2
SUGGESTIONS FOR COMPARING ENTRIES	2
2002 TEST FIELDS	3
2002 GROWING SEASON RAINFALL	5
SOURCES OF SEED	5
2002 SOYBEAN VARIETIES	6
2002 SOYBEAN TEST RESULTS	10

Conventional Trials

Region 1:	Erie, Mt. Morris and DeKalb	10
Region 2:	Monmouth, Goodfield and Dwight	15
Region 3:	Perry, New Berlin and Urbana	20
Region 4:	Belleville and Brownstown	25
Region 5:	Carbondale and Dixon Springs	29
	Urbana 7-inch Row Trial	33

Roundup Resistant Trials

Region 1:	Erie, Mt. Morris and DeKalb	11
Region 2:	Monmouth, Goodfield and Dwight	16
Region 3:	Perry, New Berlin and Urbana	21
Region 4:	Belleville and Brownstown	26
Region 5:	Carbondale and Dixon Springs	30
	Urbana 7-inch Row Trial	34

Please visit our website for additional copies of these results

<http://vt.cropsci.uiuc.edu/>

This circular was prepared by R. W. Esgar, Agronomist; D. K. Joos, Research Specialist; B. R. Henry, Research Specialist; E. D. Nafziger, Extension Agronomist; and C. A. Smyth, Research Specialist (Statistics and Computing). phone: 217-333-1194, fax: 217-244-5524, e-mail: r-esgar@uiuc.edu.

PERFORMANCE OF COMMERCIAL SOYBEANS IN ILLINOIS

THE UNIVERSITY OF ILLINOIS commercial soybean testing program was started in 1969 as a result of requests by seedsmen that their private varieties be tested. There were 96 conventional and 544 roundup resistant varieties from 60 seed companies tested in 2002.

The purpose of this commercial soybean testing program is to provide unbiased, objective, and accurate testing of all varieties entered. The tests are conducted on as uniform a soil as is available in the testing area. Small plots are used to reduce the chance of soil and climatic variations occurring between one variety plot and another.

The results of these tests should help you judge the merits of varieties in comparison with other private and public varieties. Because your soils and management may differ from those of the test location, you may wish to plant variety strips of the higher-performing varieties on your farm. The results printed in this circular should help you decide which varieties to try.

TEST PROGRAM

Selection of entries. Seed companies in Illinois and surrounding states were invited to enter soybean varieties, brands, or blends in the 2002 Illinois soybean performance trials. Entrants were required to enter all nonirrigated, 30-inch-row-width trials on a regional basis. To finance the testing program, a fee of \$80 per location was charged for each variety entered by the seed company. Most of these varieties, brands, or blends are commercially available, but some experimental varieties were also entered. A total of 2,569 entries were tested in 2002.

Number and location of tests. In 2002, tests were conducted at 13 locations in the state (see map). These sites represent the major soils and maturity zones of the state.

Nonirrigated, 30-inch-row-width trials, conventional and roundup resistant, were conducted on a regional basis. The regions are as follows:

- Region 1 Erie, Mt. Morris and DeKalb
- Region 2 Monmouth, Goodfield and Dwight
- Region 3 Perry, New Berlin and Urbana
- Region 4 Brownstown and Belleville
- Region 5 Carbondale and Dixon Springs

Seven-inch-row-width conventional and roundup resistant trials were conducted at Urbana.

Field plot design. Entries of each test were replicated three times in a randomized complete block or alpha lattice design. The 30-inch-row trial plots consisted of four rows, each 21 feet long. The center two rows of each plot were harvested to measure yield. The 7-inch-row trial plots consisted of eight rows, each 21 feet long. The center six rows were harvested to measure yield.

Fertility and weed control. All test locations were at a high level of fertility. Herbicides were used at all test locations for weed control. Weed control for the roundup resistant trials consisted of post-emergence applications of Roundup as needed, **no pre-emergence herbicide was used.** All plots were also weeded by hand.

Method of planting and harvesting. The 30-inch-row variety trials were planted with a modified bean planter. A custom-built, cone type, narrow-row drill was used to plant the 7-inch trials. Harvesting was done with a small-plot combine. No allowances were made for beans that may have been lost as a result of

combining or shattering.

Soybean Cyst Nematode. Soil samples were taken from variety plots at each location in August and evaluated for cyst populations. Threshold numbers of cysts per 100cc of soil are as follows:

Low	1-5
Medium	6-25
High	>25

PERFORMANCE DATA

Yield. Soybean yield was measured in bushels (60 pounds) per acre at a moisture content of 13 percent. An electronic moisture monitor was used on the combine for all moisture readings.

Maturity. Maturity was stated as the date when approximately 95 percent of the pods were ripe.

Lodging. The amount of lodging was rated at harvest time. The following scale was used:

- 1 - Almost all plants erect
- 2 - All plants leaning slightly or a few plants down
- 3 - All plants leaning moderately (45°), or 25 to 50 percent of the plants down
- 4 - All plants leaning considerably, or 50 to 80 percent of the plants down
- 5 - Almost all plants down

Height. Height was measured shortly before harvest as the average length of plants from the ground to the tip of the main stem.

Shattering. The percentage of open pods was estimated at harvest time. The following scale was used:

- 1 - No shattering
- 2 - 1 to 10% of pods open
- 3 - 10 to 25% of pods open
- 4 - 25 to 50% of pods open
- 5 - Over 50% of pods open

* Shattering was not significant in the 2002 trials, therefore, this data will not appear in the tables.

SUGGESTIONS FOR COMPARING ENTRIES

It is impossible to obtain an exact measure of performance when conducting any test of plant material. Harvesting efficiency may vary, soils may not be uniform, and many other conditions may produce variability. Results of repeated tests are more reliable than those of a single year or a single-strip test. When one variety consistently out yields another at several test locations and over several years of testing, the chances are good that this difference is real and should be considered in selecting a variety. However, yield is not the only indicator. You should also consider maturity, lodging, plant height and shattering.

As an aid in comparing soybean varieties, brands, and blends within a single trial, certain statistical tests have been devised. One of these tests, the least significant difference (L.S.D.), when used in the manner suggested by Carmer and Swanson¹ is quite simple to apply and is more appropriate than

most other tests. When two varieties are compared and the difference between them is greater than the tabulated L.S.D. value, the varieties are judged to be "significantly different."

The L.S.D. is a number expressed in bushels per acre and presented following the average yield for each location. An L.S.D. level of 25% is shown. Find the highest yielding soybean variety within the regional table or single location table of interest, subtract the 25% L.S.D. value from the highest yielding variety, every variety with a greater yield than the resulting number is 'statistically the same' as the highest yielding variety. Consider the merits of the varieties in this group when making varietal selections.

In a study of the frequencies of occurrence of three types of statistical errors and their relative seriousness, Carmer² found strong arguments for an optimal significance level in the range $\alpha = 0.20$ to 0.40 , where α is the Type I statistical error rate for comparisons between means that are really equal. Herein, a value of $\alpha = 0.25$ is used in computing the L.S.D. 25-percent level shown in the tables.

To make the best use of the information presented in this circular and to avoid any misunderstanding or misrepresentation of it, the reader should consider an additional caution about comparing varieties. Readers who compare varieties in different trials or row spacings should be extremely careful, because no statistical tests are presented for that purpose. Readers should note that the difference between a single variety's performance at one location or row spacing and its performance at another is caused primarily by environmental effects and random variability. Furthermore, the difference between the performance of variety A in one trial or row spacing and the performance of variety B in another trial or row spacing is the result not only of environmental effects and random variability, but of genetic effects as well.

¹Carmer, S.G. and M.R. Swanson. "An Evaluation of Ten Pairwise Multiple Comparison Procedures by Monte Carlo Methods." *Journal of American Statistical Association* 68:66-74. 1973.

²Carmer, S.G. "Optimal Significance Levels for Application of the Least Significant Difference in Crop Performance Trials." *Crop Science* 16:95-99, 1976.

2002 TEST FIELDS

Erie

Location: Slaymaker farm, Whiteside county, west of Rock Falls, northwestern Illinois.

Soil Type: Beaucoup silty clay loam.

Cooperator: Robert Slaymaker.

Planting Date: May 8.

Harvest Date: October 11.

Herbicide: Pre-Boundary, Post- FirstRate, Select

Roundup trial: Post- Roundup only.

Tillage: fall chisel, spring field cultivate.

S.C.N.: low.

Mt. Morris

Location: Nelson farm, Ogle county, North of Mt. Morris, north central Illinois.

Cooperator: Rick Nelson.

Soil type: Muscatine silt loam.

Planting Date: May 8.

Harvest Date: October 11.

Herbicide: Pre-Boundary, Post-FirstRate, Select.

Roundup Trial: Post- Roundup only.

Tillage: spring chisel & field cultivate.

S.C.N.: low

2002 SOYBEAN LOCATIONS



DeKalb

Location: University of Illinois, Northern Illinois Agronomy Research Center, DeKalb County, southwest of DeKalb.

Soil type: Flanagan silt loam (dark brown, adequately drained, highly fertile).

Cooperators: Lyle Paul, research director; Dave Lindgren, farm foreman.

Planting date: May 7.

Harvest dates: October 12 & 14.

Herbicide: Pre-Boundary, Post-FirstRate, Select.

Roundup trial: Post- Roundup.

Tillage: fall plow, spring mulch finisher (twice).

S.C.N.: low.

Monmouth

Location: University of Illinois, Northwestern Illinois Agricultural Research and Demonstration Center, Warren County, northwest of Monmouth.

Soil type: Muscatine silt loam.

Cooperators: Eric Adee, agronomist; Martin Johnson, farm foreman.

Planting date: May 8.

Harvest dates: October 1 & 9.

Herbicide: Pre- Boundary.

Roundup trial: Post- Roundup only.

Tillage: fall chisel, spring field cultivate.

S.C.N.: low.

Goodfield

Location: Wurmnest farm, Woodford county, north of Goodfield, central Illinois.
Cooperator: Mike Wurmnest.
Soil Type: Ipava silt loam.
Planting date: May 30.
Harvest date: October 10.
Herbicide: Pre-Boundary, Post-FirstRate, Select.
Roundup trial: Post- Roundup only.
Tillage: fall chisel, spring soil finisher (twice).
S.C.N. low.

Dwight

Location: Livingston County, Zabel Farm.
Soil type: Elliott silty clay loam.
Cooperator: Larry Zabel.
Planting date: May 7.
Harvest dates: October 1 & 5.
Herbicide: Pre-Boundary, Post-FirstRate, Select.
Roundup trial : Post- Roundup only.
Tillage: fall chisel, spring field cultivate.
S.C.N.: low.

Perry

Location: Orr Agricultural Research and Demonstration Center, near Perry, Pike County, west central Illinois.
Soil type: Downs silt loam.
Cooperators: Glenn Raines, research director; Mike Vose, farm foreman.
Planting date: May 22.
Harvest dates: September 30 & October 9.
Herbicide: Pre-Boundary, Post-FirstRate, Select.
Roundup trial: Post- Roundup only.
Tillage: fall chisel, spring field cultivate.
S.C.N.: medium.

New Berlin

Location: King farm, Sangamon county, north of New Berlin, Central Illinois.
Cooperator: Ike King.
Soil type: Sable silty-clay loam.
Planting date: May 22.
Harvest date: September 25 & October 8.
Herbicide: Pre-Boundary, Post-FirstRate, Select.
Roundup trial: Post- Roundup only.
Tillage: fall chisel, spring field cultivate.
S.C.N. low.

Urbana

Location: University of Illinois, Crop Sciences Research & Education Center, Champaign County, east central Illinois.
Soil type: Flanagan silt loam (dark brown, adequately drained).
Cooperators: Robert Dunker, farm manager; Mike Kleiss, farm foreman.
Planting dates: May 23.
Harvest dates: September 26, 27, October 6 & 7.
Herbicide: Pre-Boundary, Post-FirstRate, Select.
Roundup trial: Post- Roundup only.
Tillage: fall deep rip, spring field cultivate.
S.C.N.: medium.

Brownstown

Location: University of Illinois, Brownstown Agronomy Research Center, Fayette County, south central Illinois.
Soil type: Cisne silt loam (poorly drained, gray prairie with a well-developed claypan).
Cooperators: Adam Anderson, research director; Lindell Deal, field worker.
Planting date: May 28.
Harvest dates: September 27 & October 3.
Herbicide: Post-FirstRate, Basagran, Blazer, Poast, Storm, Assure.
Roundup trial: Post- Roundup only.
Tillage: spring combination tillage tool.
S.C.N.: low.

Belleville

Location: Southern Illinois University Research Center, east of Belleville, St. Clair County.
Soil type: Conventional, Weir silt loam. Roundup, Ebbert silt loam.
Cooperators: Dr. Ed Varsa, research director; Ron Krausz, field manager.
Planting date: June 1.
Harvest date: September 30 & October 14.
Herbicide: PPI- Triscept+Treflan+Authority.
Roundup trial: Post- Roundup only.
Insecticide: Warrior (Japanese Beetle).
Tillage: fall chisel, spring disk, & cultimulcher.
S.C.N.: low.

Carbondale

Location: Oval Myers farm, North of Carbondale, Jackson County, extreme southern Illinois.
Soil type: Weir silt loam (shallow, silty loam over claypan).
Cooperators: Dr. Ed Varsa, research director; Paul Pinnon, field manager.
Planting date: May 31.
Harvest dates: September 30, October 2 & 22.
Herbicide: Post-Flexstar, Basagran, Pinnacle.
Roundup trial: Post- Roundup only.
Tillage: spring disk & field cultivate.
S.C.N.: low.

Dixon Springs

Location: University of Illinois Dixon Springs Agricultural Center, Pope County, extreme southern Illinois.
Soil type: Belknap silt loam (light-colored, moderately well-drained, medium-textured bottomland).
Cooperators: Steve Ebelhar, research director; Carl Hart, research specialist.
Planting date: May 28.
Harvest dates: October 2 & 22.
Herbicide: Pre-Authority, Dual II, Post-Flexstar, Fusion.
Roundup trial: Post- Roundup only.
Tillage: spring disk (twice).
S.C.N.: low.

GROWING SEASON RAINFALL, 2002

Location	May	June	July	Aug	Sept
Erie	4.30	6.80	2.80	5.60	0.40
Mt. Morris	3.10	7.00	1.80	4.00	1.90
DeKalb	4.64	3.54	1.21	6.06	1.13
Monmouth	7.37	4.44	2.90	5.11	0.41
Goodfield	7.50	2.10	3.00	2.40	0.40
Dwight	2.80	1.10	1.90	0.60	1.30
Perry	9.15	4.60	4.75	4.46	0.85
New Berlin	8.50	3.90	3.70	4.50	1.80
Urbana	6.29	2.78	2.73	7.27	1.77
Brownstown	9.01	3.16	1.21	1.99	1.52
Belleville	6.60	1.74	3.74	3.62	3.38
Carbondale	7.75	2.29	0.10	0.75	2.96
Dixon Springs	9.89	1.23	2.02	2.86	7.50

SOURCES OF SEED

Adler, Adler Seed, 6085 W 550 N, Sharpsville, IN 46068 (800-536-2676)

Agrinetics, Agrinetics Inc, 1528 N Loomis St, Naperville, IL 60565 (630-355-1054)

AgVenture, AgVenture Seeds, 1763 E 200 N Rd, Hoopston, IL 60942 (217-375 4335)

Asgrow, Monsanto, 800 N Lindbergh Blvd, St. Louis, MO 63167 (800-833-5252)

Baker, Baker Seed Company, 610 W Seminary St, West Salem, IL 62476 (618-456-8851)

Beck's, Beck's Superior Hybrids, 6767 E 276th St, Atlanta, IN 46031 (317-984-3508)

Bergmann-Taylor, Bergmann-Taylor Inc, 10073 Ellis Rd, St Jacob, IL 62281 (618-644-5522)

Bio Gene, Bio Gene Seeds, 5491 Tri-County Hwy, Sardinia, OH 45171 (888-862-3276)

Bo-Jac, Bo-Jac Seed Company, 245 1500th Ave, Mt. Pulaski, IL 62548 (217-792-5001)

Crow's, Crow's Hybrid Corn Co, 310 N 7th, Kentland, IN 47951 (800-331-7201)

Dairyland, Dairyland Seed Co Inc, 3570 Hwy H, West Bend, WI 53095 (800-236-0163)

DeKalb, Monsanto, 800 N Lindbergh Blvd, St. Louis, MO 63167 (800-833-5252)

Delta King, Delta King Seed Co, 522 Poplar, McCrory, AR 72101 (870-731-5484)

Delta & Pine Land, Delta & Pine Land Co, 1301 E 50th St., Lubbock, TX 79404 (806-740-1600)

DeRaedt, DeRaedt Seed Corp, 10N 971 Tower Rd, Hampshire, IL 60140 (847-464-5553)

Excel, Excel Brand, 116 E State, Camp Point, IL 62320 (800-593-7708)

Excel, Hoffman Seed House, PO Box 66, Hoffman, IL 62250 (618-495-2617)

Excel, Illinois Pride Genetics, 21614 N State Hwy 130, Hidalgo, IL 62432 (618-793-2220)

Excel, Miller Bros Farm & Fert, 2001 Niemannsville Trail, Walshville, IL 62091 (217-456-9311)

Excel, Rovey Seed Company, PO Box 145, Farmersville, IL 62553 (217-227-4541)

FS HISOY, Growmark Inc, 1701 Towanda Ave, Bloomington, IL 61701 (309-557-6399)

Garst, Garst Seed Co, 2369 330th St, Box 500 Slater, IA 50244 (800-831-6630)

Gateway, Gateway Seed Co, 5517 Van Buren Rd, Nashville, IL 62263 (618-327-8000)

GMA, GMA Seed Company, 2 Myrica Way, Old Lyme, CT 06371 (860-434-7599)

Golden Harvest, Sommer Bros Seed Co, 220 N Eldorado Rd Suite E, Bloomington, IL 61704 (309-346 2127)

Golden Harvest, Golden Seed Co LLC, 27525 135th Ave N, Cordova, IL 61242 (309-654-2234)

Golden Harvest, Garwood Seed Co, 1929 N 2050 E Rd, Stonington, IL 62567 (217-325-3715)

Golden Harvest, Thorp Seed Co, 220 N Edorado Rd Suite E, Bloomington, IL 61704 (217-935-2171)

Great Lakes, Great Lakes Hybrids, 9915 W M-21, Ovid, MI 48866 (989-834-2251)

Helena, Helena Chemical Co, 11711 N Pennsylvania St Suite 270, Carmel, IN 46032 (260-824-8825)

Henkel, Henkel Seeds Inc, 107 Cedar Grove, Mendota, IL 61342 (815-539-9317)

Hoblitt, Hoblitt Seed Co, PO Box 487, Atlanta, IL 61723 (217-648-2392)

Horizon, Horizon Genetics LLC, PO Box 31, Mason City, IL 62664 (800-533-2879)

Hughes, Hughes Seed Farms, 206 N Hughes Rd, Woodstock, IL 60098 (815-338-2480)

Kaltenberg, Kaltenberg Seed Farms, PO Box 278, Waunakee, WI 53597 (608-849-5021)

Kitchen, Kitchen Seed Company, PO Box 286, Arthur, IL 61911 (217-543-3476)

Kruger, Kruger Seed Co, 33938 160th St, Dike, IA 50624 (800-772-2721)

Latham, Latham Seed Co, 131 180th St, Alexander, IA 50420-8028 (641-692-3258)

Lewis, Lewis Hybrids, 530 W Maple St, Box 38, Ursa, IL 62376 (217-964-2131)

Mark, Mark Seed, PO Box 67, Perry, IA 50220 (800-383-6275)

Martin, Martin Seeds, Inc, 10045 W 2nd St, Williamsport, IN 47993 (765-986-2030)

M&D, M&D Seed, 8982 Ford Rd, Kinmundy, IL 62854 (618-547-3404)

Merschman, Merschman Seeds Inc, 103 Ave D, West Point, IA 52656 (800-848-7333)

Midwest, Midwest Seed Genetics, 23751 Hwy 30 East, Carroll, IA 51401 (800-369-8218)

Miles, Miles Seed, PO Box 22879, Owensboro, KY 42304-2879 (800-666-4537)

Monier, Monier Seed & Service, 846 Yankee Lane, Sparland, IL 61565 (309-469-2511)

Munson, Munson Hybrids, 1262 Knox Rd 100 E, Galesburg, IL 61401 (309-343-8410)

Pioneer, Pioneer Hi-Bred Int'l, 14171 Carole Dr, Bloomington, IL 61704 (309-821-9940)

Prairie Brand, Prairie Brand Seed Co, 15 X Ave, Story City, IA 50248 (515-733-2101)

Public Varieties, Illinois Foundation Seeds Inc, PO Box 722, Champaign, IL 61824 (217-485-6260)

Renk, Renk Seed, 6800 Wilburn Rd, Sun Prairie, WI 53590 (800-289-7365)

Roeschley, Roeschley Hybrids, 8222 E 1500 N Rd, Graymont, IL 61743 (815-743-5938)

Sieben, Sieben Hybrids Inc, 633 N College Ave, Geneseo, IL 61254 (309-944-5131)

Southern States, Southern States Coop, PO Box 26234, Richmond, VA 23260 (804-281-1203)

Specialty Grains, Specialty Grains Inc, 231 N Sangamon, Gibson City, IL 60936 (217-784-4400)

Steyer, Steyer Seed, 6154 N Co Rd 33, Tiffin, OH 44883 (419-992-4570)

Stine, Stine Seed Co, 2225 Laredo Trail, Adel, IA 50003 (800-362-2510)

Stone, Stone Seed Farms Inc, 5965 W State Rt 97, Pleasant Plains, IL 62677 (217-546-8006)

Strike, Ag Alumni Seed, PO Box 158, Romney, IN 47981 (800-822-7134)

Sun Ag, Sun Ag Inc, Route 251 S, El Paso, IL 61738 (309-527-6500)

Sun Prairie, Sun Prairie Seeds, 1676 CR 2200 E, St Joseph, IL 61873 (217-469-2351)

Thompson, Thompson Seed Co, 40321 130th Ave, Leland, IA 50543 (877-561-9067)

Trelay, Trelay Seed Co, 11623 Hwy 80, Livingston, WI 53554 (608-943-6363)

Trisler, Trisler Seed Farm Inc, 3274 E 800 N Rd, Fairmount, IL 61841 (217-288-9301)

UAP, UAP Richter, PO Box 230, Pittsfield, IL 62363 (217-285-4461)

United Suppliers, United Suppliers Inc, PO Box 538, Eldora, IA 50627 (641-858-2341)

Vigoro, Royster Clark, Inc, 70 N Market St, Mt. Sterling, OH 43143 (740-869-2181)

Wilken, Wilken Seed Grains Inc, RR 4, PO Box 770, Pontiac, IL 61764 (815-844-3458)

Willcross, Neco Seed Farms Inc, PO Box 379, Garden City, MO 64747 (816-862-8203)

2002 Conventional Soybean Entries

Company-Brand	Variety	*M	**Regions Entered						***		
			1	2	3	4	5	6	SN	ST	HC
AGRINETICS	AGRISOY 2008	2.2	1						S	U	G
AGRINETICS	AGRISOY 2029 STS	2.9	1						S	U	M
AGRINETICS	AGRISOY 2828	2.8	1						S	U	Y
BECK'S	288	2.8						6	S	T	IB
BECK'S	379 N	3.7						6	R	T	IB
BERGMANN-TAYLOR	BT 411 C	4.1				4			R	T	BL
DAIRYLAND	DSR-265 STS	2.7	1					6	S	U	BR
DAIRYLAND	DSR-289 STS	2.8			3			6	MR	U	BL
DAIRYLAND	DSR-299 STS	3.0	1						S	U	BL
DAIRYLAND	DSR-300	3.1	1						S	U	G
DAIRYLAND	DSR-378	3.7			3				S	U	BU
DAIRYLAND	DST 2343	2.8		2				6	MR	U	IB
DELTA & PINE LAND	DP 4748 S	4.7					5		S	U	BL
DERAEDT	2544	2.5	1						S	U	IB
FS HISOY	HS 2491	2.4	1						S	U	BR
FS HISOY	HS 2861	2.8		2					S	U	IB
FS HISOY	HS 2911	2.9			2	3			R	U	IB
FS HISOY	HS 3391	3.3			2	3			S	U	BR
FS HISOY	HS 3591	3.5				3	4		R	U	IB
FS HISOY	HS 3892	3.8				3	4		R	U	IB
FS HISOY	X 4421	4.4					4	5	R	U	BL
GATEWAY	427	4.2						5	R	U	BL
GATEWAY	471	4.7						5	R	U	BL
GMA	SVI 2233	2.2	1						S	U	IB
GOLDEN HARVEST	H 1383	3.8			3	4			S	U	BL
GOLDEN HARVEST	H 2885	2.8			3				S	U	IB
GOLDEN HARVEST	H 3777	3.7			3	4			R	U	IB
GOLDEN HARVEST	H 4459 STS	4.4				4			R	U	BL
HELENA	HS 3612	3.7				4			MR	U	BL
HELENA	HS 3773	3.7				4			MR	U	IB
HELENA	HS 3973	3.9				4			R	U	BL
HELENA	HS 4273	4.2				4			R	U	BL
HENKEL	SS 2233	2.2	1						S	U	Y
HENKEL	SS 7296	2.7	1						MR	U	BL
ILLINOIS PRIDE	ILP-3281 C	3.1	1	2	3	4	5	6	R	U	BR
ILLINOIS PRIDE	INA	4.5					4	5	R	U	BR
ILLINOIS PRIDE	LODA	2.1	1	2	3			6	R	U	GR
ILLINOIS PRIDE	MACON	3.9	1	2	3	4	5	6	S	U	BL
ILLINOIS PRIDE	MAVERICK	3.8	1	2	3	4	5	6	R	U	BU
ILLINOIS PRIDE	REND	4.4					4	5	R	U	BU
ILLINOIS PRIDE	SAVOY	2.8	1	2	3			6	S	U	BL
KRUGER	K-2525+	2.5	1						S	U	BU
KRUGER	K-2818+	2.8	1	2	3				S	U	BL
KRUGER	K-2828	2.8	1	2					S	U	BL
KRUGER	K-2929	2.9	1	2					S	U	BL
KRUGER	K-2990 SCN	2.9		2	3				R	U	IB
KRUGER	K-3434	3.4		2	3				S	U	BR
KRUGER	K-3535	3.5		2	3	4			S	U	BR
KRUGER	K-3711	3.7		2	3	4			S	U	BU
KRUGER	K-3777 SCN	3.7			3	4			R	U	BR

2002 Conventional Soybean Entries

Company-Brand	Variety	*M	**Regions Entered						***		
			1	2	3	4	5	6	SN	ST	HC
LATHAM	830	2.7	1						S	U	BL
LATHAM	940	2.9	1						S	U	IB
LATHAM	EX-700	2.4	1						S	U	BR
LEWIS	372	3.7				4			R	T	BR
MILES	SC AARON	4.5					4	5	R	U	BL
MONIER	M 291	2.9		2					MR	U	IB
MUNSON	8299	2.9		2					S	U	BR
MUNSON	M 2291	2.9		2					R	U	BU
PIONEER	93B15	3.1		2	3				R	T	BR
PIONEER	93B82	3.8		2	3				S	T	BL
PIONEER	93B86	3.8			2	3			R	T	BL
PRAIRIE BRAND	PB-230	2.3	1						S	U	BU
PRAIRIE BRAND	PB-256	2.5	1						S	U	IB
PRAIRIE BRAND	PB-260 N	2.6	1						R	U	BU
PRAIRIE BRAND	PB-278	2.7	1						S	U	IB
PRAIRIE BRAND	PB-311	3.1	1						S	U	BR
PUBLIC VARIETY	DWIGHT	2.9	1	2	3			6	R	U	BL
PUBLIC VARIETY	LA 3005	3.5	1	2	3	4	5	6	R	U	BL
PUBLIC VARIETY	JACK	2.9	1	2	3			6	R	U	Y
PUBLIC VARIETY	LINFORD	3.8	1	2	3	4	5	6	R	U	BL
PUBLIC VARIETY	LN 92-7369	2.8	1	2	3			6	S	U	BL
PUBLIC VARIETY	PANA	3.8	1	2	3	4	5	6	R	U	BU
PUBLIC VARIETY	WILLIAMS 82	3.8	1	2	3	4	5	6	S	U	IB
PUBLIC VARIETY	YALE	3.8	1	2	3	4	5	6	R	U	BU
SIEBEN	250	2.5	1						S	T	BR
SIEBEN	270	2.7	1						S	U	BL
SIEBEN	289	2.8			2				S	U	BL
SIEBEN	310 STS	3.1		2					S	U	BL
SPECIALTY GRAINS	LA 2045	2.3		2					S	U	Y
SPECIALTY GRAINS	LA 2046	2.3		2					S	U	Y
SPECIALTY GRAINS	LA 3016	3.0		2					S	U	Y
SPECIALTY GRAINS	PAPASAN	2.8						6	S	U	BL
THOMPSON	T-444 SC	4.4				4			R	U	BR
THOMPSON	T-494 SC	4.9						5	R	U	BL
UAP	DG 3219	2.1	1						S	U	BU
UAP	DG 3369 N	3.7				3			R	U	IB
UAP	DG 3395	3.9					3		S	U	BL
WILKEN	2325	2.2	1	2					S	U	BR
WILKEN	2573	2.7		2					S	U	BL
WILKEN	2584	2.8		2					S	U	BL
WILKEN	2592	2.9		2					S	U	BR
WILKEN	2661 N	2.6		2					R	U	BL
WILKEN	3401 N	3.0		2					R	U	BL
WILKEN	3447 N	3.4		2					R	U	BR
WILKEN	3494	3.9				3			S	U	BL
WILKEN	WX 109 N	2.8		2					R	U	BL

* Maturity Group

** 1 = Region 1: Erie, Mt. Morris & DeKalb
 2 = Region 2: Monmouth, Goodfield & Dwight
 3 = Region 3: Perry, New Berlin & Urbana
 4 = Region 4: Belleville & Brownstown
 5 = Region 5: Dixon Springs & Carbondale
 6 = Urbana 7" Row

*** SN- Soybean cyst Nematode

R- Resistant, MR- Moderately Resistant, S- Susceptible, MS- Moderately Susceptible

ST = Seed Treatment

T- Treated, U- Untreated

HC = Hilum Color

BL- black, IB- imperfect black, BU- buff, BR- Brown, Y- Yellow, G- Gray, M- Mixed

2002 Roundup Resistant Soybean Entries

Company-Brand	Variety	*M	**Regions Entered						***		
			1	2	3	4	5	6	SN	ST	HC
ADLER	255 RR	2.5	1						S	U	M
ADLER	286 RRN	2.8	1						R	U	BL
ADLER	364 RR	3.6			3				S	U	IB
ADLER	374 RRN	3.7				4			R	U	IB
ADLER	390 RRN	3.9					5		R	U	BL
AGRINETICS	EXCEL 8200	2.0	1						S	U	BL
AGRINETICS	EXCEL 8235	2.1	1						S	U	BL
AGRINETICS	EXCEL 8274 N	2.8	1						R	U	BL
AGRINETICS	EXCEL 8298	2.9	1						S	U	BR
AGVENTURE	6381 NRR	3.8				4			R	U	IB
AGVENTURE	6441 NRR	4.3				4			R	U	BL
ASGROW	AG 2703	2.7	1						S	U	BR
ASGROW	AG 2705	2.7		2					R	U	BL
ASGROW	AG 2905	2.4	1						S	U	BU
ASGROW	AG 3201	3.2			3				R	U	BR
ASGROW	AG 3401	3.4		2	3				R	U	IB
ASGROW	AG 3702	3.7		2	3				S	U	BR
ASGROW	AG 3903	3.9			3	4			R	U	IB
ASGROW	AG 4201	4.2				4	5		R	U	BL
ASGROW	AG 4403	4.4				4	5		R	U	IB
ASGROW	AG 4603	4.6				4	5		R	U	BL
BAKER	3735 CRR	3.7				4			MR	U	BL
BAKER	4135 CRR	4.1				4	5		R	U	BL
BAKER	4425 CRR	4.4				4	5		MR	U	BL
BAKER	4825 CRR	4.8				4			R	U	BL
BECK'S	266 NRR	2.6		2					R	T	BL
BECK'S	283 RR	2.8		2			6		S	T	IB
BECK'S	295 NRR	2.9		2			6		R	T	BL
BECK'S	306 NRR	2.9		2			6		R	T	BU
BECK'S	323 RR	3.2		2	3		6		S	T	IB
BECK'S	336 NRR	3.3		2	3		6		R	T	BL
BECK'S	355 RR	3.5		2	3		6		S	T	BL
BECK'S	367 NRR	3.7		2	3		6		MR	T	BL
BECK'S	417 NRR	3.9				4			R	T	BU
BECK'S	437 NRR	4.3				4	5		MR	T	BL
BECK'S	EX 6047	2.9		2			6		R	T	BU
BERGMANN-TAYLOR	BT 362 CR	3.9				4			MR	T	BL
BERGMANN-TAYLOR	BT 371 CR	3.7				4			R	T	IB
BERGMANN-TAYLOR	BT 383 CR	3.8				4			R	T	BL
BERGMANN-TAYLOR	BT 392 CR	3.9				4			MR	T	IB
BERGMANN-TAYLOR	BT 402 CR	4.0				4			R	T	BL
BERGMANN-TAYLOR	BT 423 CRS	4.2				4			R	T	BL
BERGMANN-TAYLOR	BT 441 CR	4.4				4			MR	T	BL
BERGMANN-TAYLOR	BT 480 R	4.8				4			S	T	BL
BIO GENE	BG 4200 NRS	4.2				4			R	U	BL
BIO GENE	BG 4401 NRR	4.4					5		R	U	BL
CROW'S	C 2606 R	2.6	1						S	U	BL
CROW'S	C 2615 R	2.6	1						R	U	BL
CROW'S	C 4417 R	4.4					5		R	U	BL
DAIRYLAND	DSR-199 RR	1.9	1						S	U	BL
DAIRYLAND	DSR-221 RR	2.2	1						S	U	BL
DAIRYLAND	DSR-228 RR	2.3	1						S	U	BL
DAIRYLAND	DSR-232 RR	2.3					6		MR	U	BL
DAIRYLAND	DSR-251 RR	2.5	1						S	U	BR
DAIRYLAND	DSR-255 RR	2.5	1	2	3		6		R	U	BL
DAIRYLAND	DSR-268 RR	2.7	1	2	3		6		MR	U	BL
DAIRYLAND	DSR-274 RR	2.7	1	2	3		6		MR	U	BR
DAIRYLAND	DSR-290 RR	2.9			3				S	U	BL
DAIRYLAND	DSR-297 RR	2.9	1	2	3		6		S	U	BL
DAIRYLAND	DSR-301 RR	3.0		2	3		6		R	U	IB
DAIRYLAND	DSR-303 RR	3.0	1						S	U	BR
DAIRYLAND	DSR-320 RR	3.2		2	3		6		S	U	IB
DAIRYLAND	DSR-327 RR	3.3		2	3		6		R	U	BL
DAIRYLAND	DSR-340 RR	3.3		2	3		6		R	U	BL
DAIRYLAND	DSR-357 RR	3.6			3				S	U	BU
DAIRYLAND	DSR-363 RR	3.6			3		6		R	U	BL
DAIRYLAND	DSR-375 RR	3.8			3		6		MR	U	IB
DAIRYLAND	DSR-395 RR	3.9					6		MR	U	BL
DAIRYLAND	DSR-401 RR	4.0			3		6		R	U	IB
DAIRYLAND	DST 3220 RR	3.7		2	3		6		MR	U	IB
DEKALB	CX 480 CRR	4.8				4	5		R	U	IB
DEKALB	DKB 27-51	2.7	1						R	U	IB
DEKALB	DKB 31-51	3.1	1	2	3				S	U	BR
DEKALB	DKB 31-52	3.1		2	3				R	U	IB
DEKALB	DKB 36-51	3.6			3				R	U	G
DEKALB	DKB 38-52	3.8		2	3	4	5		R	U	Y
DEKALB	DKB 40-51	4.0				4	5		R	U	BR
DEKALB	DKB 44-51	4.4				4	5		R	U	IB
DELTA & PINE LAND	DP 4344 RR	4.3					5		S	U	BL
DELTA & PINE LAND	DP 4690 RR	4.7							S	U	BL
DELTA KING	3862 RR	3.8				4	5		R	T	BL
DELTA KING	3961 RR	3.9				4	5		R	T	BL
DELTA KING	3964 RR	3.9				4	5		R	T	BL
DELTA KING	3968 RR	3.9				4	5		R	T	BU
DELTA KING	4461 RR	4.4				4	5		R	T	BL
DELTA KING	4762 RR	4.7				4	5		R	T	BL
DELTA KING	4763 RR	4.7				4	5		R	T	BL
DELTA KING	4868 RR	4.8				4	5		R	T	BL
DELTA KING	4965 RR	4.9				4	5		R	T	BL
DELTA KING	5366 RR	5.3						5	MR	T	IB
DELTA KING	5465 RR	5.4						5	R	T	BL
DELTA KING	XTJ 033 RR	3.3				4	5		S	U	IB
DELTA KING	XTJ 040 RR	4.0				4	5		R?	T	BL
DELTA KING	XTJ 041 RR	4.1				4	5		R?	T	BL

2002 Roundup Resistant Soybean Entries

Company-Brand	Variety	*M	**Regions Entered						***		
			1	2	3	4	5	6	SN	ST	HC
DERAEDT	2120 RR	2.1	1						S	U	BL
DERAEDT	2320 RR	2.3	1						S	U	BL
DERAEDT	2701 RR	2.7	1						S	U	IB
DERAEDT	2733 NRR	2.7	1						R	U	IB
DERAEDT	2820 RR	2.8	1						S	U	IB
EXCEL	8193 RR	1.9	1						S	U	BL
EXCEL	8234 RR	2.3	1						S	U	BL
EXCEL	8254 RR	2.5	1	2					S	U	BR
EXCEL	8258 RR	2.5		2					S	U	BR
EXCEL	8265 RR	2.6	1						S	U	BL
EXCEL	8266 NRR	2.7		2					MR	U	BR
EXCEL	8275 RR	2.7		2					S	U	G
EXCEL	8284 RR	2.5		2					S	U	BL
EXCEL	8293 RR	2.9		2					S	U	BL
EXCEL	8295 RR	2.9			3				S	U	BL
EXCEL	8313 NRR	2.9		2	3			6	MR	U	BR
EXCEL	8321 RR	3.1		2					S	U	M
EXCEL	8334 NRR	3.3			3				R	U	BL
EXCEL	8341 NRR	3.4						6	R	U	BL
EXCEL	8360 RR	3.6			3				S	U	BU
EXCEL	8378 NRR	3.7			3	4		6	MR	U	IB
EXCEL	8384 NRR	3.8			3	4			MR	U	IB
EXCEL	8385 RR	3.9			3			6	S	U	IB
EXCEL	8393 NRR	3.9			3	4	5	6	R	U	BL
EXCEL	8404 NRR	4.0				4			R	U	BL
EXCEL	8420 NRR	4.2			3		5	6	R	U	BL
EXCEL	8427 NRR	4.1			3			6	MR	U	BL
EXCEL	8448 NRR	4.4				4	5	6	R	U	BL
EXCEL	8462 RR	4.6				4	5		S	U	BL
EXCEL	8484 RR	4.8					5		S	U	BU
EXCEL	8499 NRR	4.9					5		R	U	BL
EXCEL	8517 NRR	5.1					5		MR	U	BL
FS HISOY	HS 2515	2.5	1						S	U	G
FS HISOY	HS 2815	2.8		2					S	U	G
FS HISOY	HS 2906	2.9	1	2					R	U	BU
FS HISOY	HS 3105	3.1		2	3				S	U	BR
FS HISOY	HS 3306	3.3		2	3				R	U	IB
FS HISOY	HS 3616	3.7			3	4			R	U	IB
FS HISOY	HS 3706	3.7			3	4			R	U	G
FS HISOY	HS 3916	3.9			3	4			R	U	BU
FS HISOY	HS 4316	4.3				4	5		R	U	BL
FS HISOY	HS 4516	4.5				4	5		R	U	IB
FS HISOY	RT 2495	2.4	1						S	U	IB
FS HISOY	RT 3585	3.5			3				S	U	G
FS HISOY	RT 4495	4.4				4	5		R	U	BL
FS HISOY	RT 4895	4.8				4	5		R	U	BL
FS HISOY	X 2626	2.6	1	2					R	U	IB
FS HISOY	X 2725	2.7	1	2					S	U	IB
FS HISOY	X 3226	3.2		2	3				R	U	IB
FS HISOY	X 3425	3.4		2	3				S	U	IB
FS HISOY	X 3526	3.5			2	3			R	U	BL
FS HISOY	X 3726	3.7			3	4			R	U	IB
FS HISOY	X 4026	4.0				4	5		R	U	BU
FS HISOY	X 4028	4.0				4	5		R	U	BL
FS HISOY	X 4228	4.2				4	5		R	U	BL
FS HISOY	X 4626	4.6				4	5		R	U	BL
FS HISOY	X 4826	4.8				4	5		R	U	BL
FS HISOY	X 5426	5.4					5		R	U	BR
GARST	2332 RR	2.3	1						S	T	BL
GARST	2547 RR	2.5	1						S	U	BL

2002 Roundup Resistant Soybean Entries

Company-Brand	Variety	*M	**Regions Entered						***		
			1	2	3	4	5	6	SN	ST	HC
GREAT LAKES	GL 2704 RR	2.7						6	S	U	BL
GREAT LAKES	GL 2709 RR	2.7		2				6	R	U	IB
GREAT LAKES	GL 3007 RR	3.0			3			6	S	T	BR
GREAT LAKES	GL 3209 RR	3.2			3			6	R	U	IB
GREAT LAKES	GL 3409 RR	3.4						6	R	T	BL
GREAT LAKES	GL 3819 RR	3.8				4			R	U	BU
HENKEL	SS 8201 RR	2.8	1						MR	U	BL
HENKEL	SS 8503 RR	2.8	1						R	U	BL
HOBLIT	HB 293 NRR	2.9		2				6	R	U	BU
HOBLIT	HB 343 RR	3.4		2					S	U	BL
HOBLIT	HB 364 NRR	3.6				4			R	U	BL
HORIZON	H 267 NRR	2.6		2					R	U	IB
HORIZON	H 270 NRR	2.7		2					MR	T	BL
HORIZON	H 285 NRR	2.8		2					R	T	BL
HORIZON	H 299 NRR	2.9		2					R	U	BU
HORIZON	H 328 NRR	3.2			2	3			R	U	BL
HORIZON	H 332 NRR	3.3			2	3			R	U	BL
HORIZON	H 341 RR	3.4				3			S	U	BL
HORIZON	H 345 RR	3.4				3			S	T	BL
HORIZON	H 357 NRR	3.7			3	4			R	U	BR
HORIZON	H 369 NRR	3.6			3				R	U	IB
HORIZON	H 379 RR	3.7			3				S	U	IB
HORIZON	H 394 NRR	3.9			3	4			R	U	BL
HORIZON	H 415 NRR	4.1				4			R	U	IB
HORIZON	H 424 NRR	4.2				4			R	U	BL
HORIZON	H 444 NRR	4.4				4			MR	U	BL
HORIZON	H 481 NRR	4.8				4			R	U	BL
HUGHES	441 RR	2.4	1						S	U	BL
HUGHES	532 RR	2.5	1						S	U	G
HUGHES	551 RR	2.5	1						S	U	BR
HUGHES	852 RR	2.8	1						R	U	IB
KALTENBERG	KB 264 RR	2.7	1						MR	T	BL
KALTENBERG	KB 273 RR	2.8	1						S	T	IB
KALTENBERG	KB 275 RR	2.8	1						S	T	IB
KITCHEN	KSC 3706 CRR	3.7				4			R	U	G
KITCHEN	KSC 3736 CRR	3.7				4			R	U	IB
KITCHEN	KSC 3926 CRR	3.9				4			R	U	BL
KITCHEN	KSC 4226 CRR	4.2				4			R	U	BL
KRUGER	EX 191+ RR	1.9	1						S	U	BR
KRUGER	EX 200 RR	2.0	1						S	U	BR
KRUGER	EX 265 RR	2.5	1						S	T	M
KRUGER	EX 299 RR	2.9	1	2	3				S	U	M
KRUGER	EX 325 RR	3.2		2	3				S	U	BL
KRUGER	EX 343 RR	3.4		2	3				S	U	BL
KRUGER	EX 389 RR/SCN	3.7		2	3	4	5		R	U	IB
KRUGER	EX 389+ RR/SCN	3.7			3	4	5		R	U	IB
KRUGER	EX 410 RR/SCN	4.1				4	5		R	U	BL
KRUGER	EX 464 RR/SCN	4.6				4	5		R	U	BL
KRUGER	EX 477 RR/SCN	4.7				4	5		R	U	BL
KRUGER	EX 484 RR/SCN	4.8				4	5		R	U	BL
KRUGER	K-211 RR	2.1	1						S	U	Y
KRUGER	K-222+ RR	2.2	1						S	U	BL
KRUGER	K-223 RR	2.1	1						S	U	BR
KRUGER	K-232 RR	2.2	1						S	U	BR
KRUGER	K-232+ RR	2.2	1						S	U	BR
KRUGER	K-233 RR	2.3	1						S	U	BL
KRUGER	K-242 RR/SCN	2.3	1						R	U	BL
KRUGER	K-255-5 RR	2.3	1						S	U	BL
KRUGER	K-262-2 RR	2.4	1						S	U	IB
KRUGER	K-268 RR	2.5	1						S	U	IB
KRUGER	K-269 RR	2.5	1						S	U	BR
KRUGER	K-270 RR	2.8		2	3				S	U	IB
KRUGER	K-272 RR	2.6	1						S	U	BR
KRUGER	K-272 RR/SCN	2.7	1	2	3				R	U	BU
KRUGER	K-272+ RR/SCN	2.7	1	2					R	U	IB
KRUGER	K-273 RR	2.6	1						S	U	M
KRUGER	K-277 RR/SCN	2.5	1	2					R	U	BU
KRUGER	K-282+ RR	2.8	1	2	3				S	U	BL
KRUGER	K-282-1 RR/SCN	2.8	1		3				R	U	BL
KRUGER	K-286 RR	2.8	1						S	U	BL
KRUGER	K-287 RR	2.7	1	2	3				S	U	IB
KRUGER	K-288 RR/SCN	2.8	1	2	3				R	U	M
KRUGER	K-288+ RR/SCN	2.8	1	2	3				R	U	IB
KRUGER	K-288-8 RR	2.8	1						S	U	G
KRUGER	K-292 RR	2.8	1	2	3				S	U	BL
KRUGER	K-303 RR/SCN	2.9		2	3				R	U	BU
KRUGER	K-311+ RR	3.1		2	3				S	U	BL
KRUGER	K-323 RR	3.1		2					S	U	BR
KRUGER	K-323 RR/SCN	3.1		2	3				R	U	BL
KRUGER	K-330 RR/SCN	3.3			2	3			R	U	BL
KRUGER	K-333 RR	3.2			2	3			S	U	BL
KRUGER	K-340 RR/SCN	3.3			2	3			R	U	BU
KRUGER	K-344 RR/SCN	3.2			2	3			R	U	IB
KRUGER	K-349 RR	3.4			2	3			S	U	IB
KRUGER	K-353 RR	3.4			2	3			S	U	BL
KRUGER	K-359 RR	3.5			2	3			S	U	IB
KRUGER	K-366 RR/SCN	3.5			2	3			R	U	BL
KRUGER	K-373+ RR	3.6			3	4	5		S	U	BL
KRUGER	K-377 RR/SCN	3.7		2	3	4			R	U	BL
KRUGER	K-377+ RR/SCN	3.7			3	4	5		R	U	BL
KRUGER	K-380 RR/SCN	3.9			3	4	5		R	U	BU
KRUGER	K-383 RR	3.5			3				S	U	BL
KRUGER	K-383-3 RR/SCN	3.8		2	3	4	5		R	U	BL
KRUGER	K-388 RR/SCN	3.8		2	3	4	5		R	U	BL

2002 Roundup Resistant Soybean Entries

Company-Brand	Variety	*M	**Regions Entered						***		
			1	2	3	4	5	6	SN	ST	HC
KRUGER	K-401 RR/SCN	3.9		2	3	4	5		R	U	BU
KRUGER	K-410A RR/SCN	4.1				4	5		R	U	BL
KRUGER	K-422 RR	4.2				4	5		S	U	BL
KRUGER	K-424 RR/SCN	4.3				4	5		R	U	BL
KRUGER	K-430 RR/SCN	4.3				4	5		R	U	BL
KRUGER	K-443 RR/SCN	4.4				4	5		R	U	BL
KRUGER	K-443-3 RR/SCN	4.4				4	5		R	U	BL
LATHAM	1067 RR	3.1	1						S	U	BR
LATHAM	727 RR	2.6	1						S	U	BR
LATHAM	917 RR	2.8	1						S	U	BL
LATHAM	967 RR	2.9	1						S	U	IB
LATHAM	EX-1108 RR	3.2	1						S	U	BL
LATHAM	EX-738 RR	2.6	1						S	U	BL
LEWIS	2898 RR	2.8		2					R	T	BU
LEWIS	3268 RR	3.2		2	3				R	T	BR
LEWIS	3409 RR	3.4			3				S	T	BL
LEWIS	3596 RR	3.6			3				MR	T	BR
LEWIS	3677 RR	3.6			3				MR	T	BL
LEWIS	3715 RR	3.7			3	4			MR	T	BR
LEWIS	4005 RR	4.0				4			R	T	BL
LEWIS	4259 RR	4.2				4			R	T	BL
M & D SEED	9470 RR	4.7				4			S	U	BL
MARK	MRK RR 0129 CTB	2.9	1	2					R	U	BU
MARK	MRK RR EX 01	2.4		2					S	U	IB
MARK	MRK RR EX 02	2.8		2					S	U	BR
MARK	MRK RR EX 04	2.9		2					S	U	BL
MARK	MRK RR EX 05	2.5		2					R	U	BU
MARK	MRK RR EX 06	2.8		2					S	U	BU
MARTIN	M-328 NRR	2.8			3				R	U	IB
MARTIN	M-333 RR	3.3			3				S	U	BL
MARTIN	M-337 NRR	3.7			3				R	U	BL
MAVRICK	0322 RR	3.2					6		S	U	BU
MAVRICK	1335 RR	3.3					6		R	U	BL
MERSCHMAN	APACHE VIIIR	2.6	1	2					S	U	BR
MERSCHMAN	AUSTIN RR	4.4				4			R	U	BL
MERSCHMAN	CHEROKEE XRR	2.9		2	3				R	T	BU
MERSCHMAN	DALLAS RR	4.8				4			R	U	BL
MERSCHMAN	DENVER RRSTS	4.4				4			MR	T	BL
MERSCHMAN	FILLMORE VRR	3.4		2	3				S	T	BL
MERSCHMAN	HOOVER VRR	3.4		2	3				R	U	BL
MERSCHMAN	HOUSTON VIRRSTS	4.3				4			R	T	BL
MERSCHMAN	JEFFERSON IIIIR	3.1		2	3				S	T	BR
MERSCHMAN	KENNEDY VIRR	3.8		2	3	4			MR	T	BL
MERSCHMAN	MARS VIIIR	1.9	1						S	U	TN
MERSCHMAN	MOHEGAN IVRR	2.5	1						R	T	BL
MERSCHMAN	MONROE IIIIR	3.6		2	3				S	T	BR
MERSCHMAN	MUNSEE IIIIR	2.1	1						S	T	BL
MERSCHMAN	NAVAHO VIIIR	2.2	1						MR	T	BL
MERSCHMAN	PHOENIX IIIIR	4.1				4			R	U	BL
MERSCHMAN	ROOSEVELT IIIIR	3.9				4			R	T	BU
MERSCHMAN	SHAWNEE VIIIR	2.6	1	2					R	T	IB
MERSCHMAN	SILOUX IIR	2.7	1	2					S	U	IB
MERSCHMAN	TRUMAN RR	3.5		2	3				R	U	IB
MERSCHMAN	UTE RR	2.1	1						S	T	M
MERSCHMAN	VENUS RR	1.9	1						R	U	BL
MERSCHMAN	WASHINGTON 8RR	3.9		2	3	4			S	T	BL
MIDWEST SEED GEN	GR 2931	2.9		2					R	U	BU
MIDWEST SEED GEN	GR 3331	3.3		2					R	U	BL
MIDWEST SEED GEN	GR 3931	3.9			3	4			R	U	BU
MIDWEST SEED GEN	GR 4752	4.7					5		R	U	BL
MILES	SC JORDAN	3.6				4	5		R	U	BL
MILES	SC SILAS	4.4				4	5		MR	U	BL
MILES	SC SOLOMON	3.8				4	5		S	U	BR
MILES	SC TITUS	4.8				4	5		R	U	BL
MONIER	M 2789 RR	2.7		2					R	U	IB
MUNSON	8290 RR	2.9		2					R	U	BU
MUNSON	8339 RR	3.3		2					R	U	BL
MUNSON	8367 RR	3.6		2					R	U	BL
PIONEER	92B38	2.3	1						S	T	BR
PIONEER	92B75	2.7	1						S	T	BL
PIONEER	93B09	3.0	1	2					S	T	BL
PIONEER	93B36	3.3		2	3				S	T	BL
PIONEER	93B67	3.6		2	3	4			R	T	BL
PIONEER	93B85	3.8			3	4			R	T	BL
PIONEER	94B13	4.1			3	4			R	U	BL
PIONEER	94B54	4.5				4	5		R	T	BL
PIONEER	94B73	4.7					5		S	T	BL
PIONEER	94B74	4.7					5		R	T	BL
PRAIRIE BRAND	PB-1981 RR	2.0	1						S	U	BL
PRAIRIE BRAND	PB-2117 RR	2.1	1						S	U	BL
PRAIRIE BRAND	PB-2141 RR	2.1	1						S	U	BR
PRAIRIE BRAND	PB-2352 RR	2.3	1						S	U	M
PRAIRIE BRAND	PB-2532 RR	2.5	1						S	U	IB
PRAIRIE BRAND	PB-2552 RR	2.5	1						S	U	BR
PRAIRIE BRAND	PB-2692 NRR	2.6	1						R	U	IB
PRAIRIE BRAND	PB-2732 RR	2.7	1	2					S	U	IB
PRAIRIE BRAND	PB-2841 RR	2.8	1	2					S	U	IB
PRAIRIE BRAND	PB-3230 RR	3.1		2					S	U	BR
PRAIRIE BRAND	PB-3432 RR	3.4		2					S	U	BL
PRAIRIE BRAND	PB-3621 RR	3.7		2	3				S	U	BL
PRAIRIE BRAND	PB-3921 NRR	3.9			3				R	U	BU
RENK	RS 202 NRR	2.0	1						R	U	BL
RENK	RS 212 RR	2.2	1						S	U	M
RENK	RS 221 RR	2.2	1						S	U	BL

2002 Roundup Resistant Soybean Entries

2002 Roundup Resistant Soybean Entries

		Regions Entered						*			
Company-Brand	Variety	*M	1	2	3	4	5	6	SN	ST	HC
RENK	RS 240 RR	2.4	1						S	U	BL
RENK	RS 252 RR	2.5	1						S	U	IB
RENK	RS 262 NRR	2.6	1						R	U	BL
RENK	RS 272 RR	2.7	1						S	U	BL
RENK	RS 281 RR	2.8	1						S	U	BL
RENK	RS 310 RR	3.1	1						S	U	BR
ROESCHLEY	R 5278 CRR	2.8	1						R	U	IB
ROESCHLEY	R 5352 CRR	3.2		2					R	U	BL
SIEBEN	2603 NRR	2.6	1						R	U	BL
SIEBEN	2803 RR	2.8	1						S	T	BR
SIEBEN	2804 NRR	2.8	1						R	U	BL
SIEBEN	2903 NRR	2.9	1	2					R	U	BU
SIEBEN	3203 NRR	3.2		2					R	U	IB
SIEBEN	3403 RR	3.4		2					S	U	BL
SOUTHERN STATES	RT 3702	3.7					5		S	T	BR
SOUTHERN STATES	RT 3799 N	3.7					5		R	T	BL
SOUTHERN STATES	RT 3802 N	3.8					5		R	T	BL
SOUTHERN STATES	RT 3975	3.9					5		S	T	BL
SOUTHERN STATES	RT 4098	4.0					5		S	T	BR
SOUTHERN STATES	RT 446 N	4.4					5		R	T	BR
SOUTHERN STATES	RT 4502 N	4.5					5		R	T	BL
SOUTHERN STATES	RT 4720 N	4.7					5		R	T	BL
SOUTHERN STATES	RT 4810 N	4.8					5		R	T	BR
SOUTHERN STATES	RT 4980	4.9					5		S	T	BL
SOUTHERN STATES	RT 5001 N	5.0					5		R	T	BR
STEYER	4410 RRSCN	4.4					4	5	MR	U	BL
STEYER	4700 RRSTSSCN	4.7					4	5	R	U	BL
STINE	S 2103-4	2.1	1						S	U	BR
STINE	S 2463-4	2.4	1						S	U	Y
STINE	S 2783-4	2.7	1	2					S	U	IB
STINE	S 2802-4	2.8		2	3				R	U	BU
STINE	S 2842-4	2.8	1	2	3				R	U	IB
STINE	S 3200-4	3.2		2					S	U	BL
STINE	S 3300-4	3.3		2					S	U	BL
STINE	S 3402-4	3.4			3				R	U	BL
STINE	S 3632-4	3.6		2	3	4			R	U	BL
STINE	S 3982-4	3.9			3				R	U	BU
STINE	S 4202-4	4.2				4	5		R	U	BL
STINE	S 4882-4	4.7				4	5		R	U	BL
STONE	HC-2351 NRR	3.5			3				R	T	BL
STONE	HC-2372 NRR	3.6			3				R	U	BL
STONE	HC-2441 NRR	4.4				4			R	T	BL
STRIKE	2902 NRR	2.9		2					R	T	BR
STRIKE	3302 NRR	3.3		2					R	T	BL
STRIKE	3702 RR	3.6		2	3				MR	T	BL
SUN AG	SAS 2962 RR	2.9						6	R	U	BU
SUN AG	SAS 3120 RR	3.1						6	S	U	BR
SUN PRAIRIE	SP 2902 NRR	2.9						6	R	U	BU
SUN PRAIRIE	SP 3302 NRR	3.3						6	R	U	IB
SUN PRAIRIE	SP 3602 NRR	3.6						6	MR	U	BL
THOMPSON	T-3737 RR/N	3.7				4	5		R	U	G
THOMPSON	T-3909 RR/N	3.9				4	5		R	U	BL
THOMPSON	T-3929 RR/N	3.9				4			R	U	BL
THOMPSON	T-3999 RR/N	3.9				4	5		R	U	Y
THOMPSON	T-4212 RR/N	4.1				4	5		R	U	BL
THOMPSON	T-4300 RR/N	4.4					5		R	U	BL
THOMPSON	T-4333 RR/N	4.3				4	5		R	U	BL
THOMPSON	T-4444 RR/N	4.4				4	5		R	U	BL
THOMPSON	T-4545 RR/N	4.6					5		R	U	BL
THOMPSON	T-4777 RR/N	4.8				4	5		R	U	BL
THOMPSON	T-4848 RR/N	4.7				4	5		R	U	BL
TRELAY	HC-2244 RR	2.4	1						S	T	BU
TRELAY	HC-2261 RR/SCN	2.6	1						R	T	BL
TRELAY	HC-2273 RR	2.7	1						S	T	BR
TRELAY	HC-2282 RR	2.8	1						S	T	IB
TRISLER	TRISOY 2807 RR	2.8		2					MR	U	BL
TRISLER	TRISOY 2907 RR	2.9		2					R	U	BU
TRISLER	TRISOY 3113 RR	3.1			3				S	U	BR
TRISLER	TRISOY 3222 RR	3.2		2	3				R	U	IB
TRISLER	TRISOY 3407 RR	3.4			3				S	U	IB
TRISLER	TRISOY 3427 RR	3.4			3				S	U	BL
TRISLER	TRISOY 3507 RR	3.5			3				R	U	IB
TRISLER	TRISOY 3717 RR	3.7			3				R	U	BL
TRISLER	TRISOY 3911 RR	3.9				4	5		R	U	BL
TRISLER	TRISOY 3917 RR	3.9					5		MR	U	IB
TRISLER	TRISOY 4227 RR	4.2				4	5		R	U	BL
TRISLER	TRISOY 4314 RR	4.4				4	5		MR	U	BL
TRISLER	TRISOY 4697 RR	4.6					5		MR	U	G
UAP	DG 3199 NRR	1.9	1						R	U	BL
UAP	DG 3200 RR	2.0	1						S	U	Y
UAP	DG 3218 RR	2.1	1						S	U	BL
UAP	DG 3223 RR	2.2	1						S	U	BL
UAP	DG 3242 RR	2.4	1						S	U	IB
UAP	DG 3263 RR	2.6	1	2					S	U	BL
UAP	DG 3270 RR	2.7		2	3				S	U	IB
UAP	DG 3286 RR	2.8		2	3				S	U	BL
UAP	DG 3287 RR	2.8		2	3				S	U	IB
UAP	DG 3292 NRR	2.9		2	3				R	U	BU
UAP	DG 3321 NRR	3.2			3				R	U	BL
UAP	DG 3323 RR	3.2			3				S	U	BR
UAP	DG 3343 RR	3.4			3				S	U	BL
UAP	DG 3353 RR	3.5			3				S	U	BL
UAP	DG 3362 NRR	3.6			3				R	U	BL
UAP	DG 3370 RR	3.7			3				S	U	BL

Company-Brand	Variety	*M	**Regions Entered						***		
			1	2	3	4	5	6	SN	ST	HC
UAP	DG 3373 NRR	3.7			3				R	U	IB
UAP	DG 3390 NRR	3.9				4			R	U	BU
UAP	DG 3399+ RR	3.9					4		S	U	BL
UAP	DG 3437 NRR	4.3				4	5		R	U	BL
UAP	DG 3443 NRR	4.4				4	5		R	U	BL
UAP	DG 3468 NRR	4.6					5		R	U	BL
UAP	DG 3484 NRR	4.8				4	5		R	U	BL
UAP	DG X 429 RR	2.7			3				S	U	BL
UAP	DG X 430 RR	2.7			3				S	U	IB
UNITED SUPPLIERS	US S2403 RR	2.4	1						S	U	BU
UNITED SUPPLIERS	US S2503 RR	2.5	1						S	U	BR
UNITED SUPPLIERS	US S2703 RR	2.7	1	2					S	U	IB
UNITED SUPPLIERS	US S3003 RR	3.0		2					S	U	BR
UNITED SUPPLIERS	US S3303 RR	3.3			3				R	U	IB
UNITED SUPPLIERS	US S3703 RR	3.7			3	4			R	U	BL
UNITED SUPPLIERS	US S4002 RR	4.0				4	5		R	U	IB
UNITED SUPPLIERS	US S4402 RR	4.4				4	5		R	U	BL
UNITED SUPPLIERS	US S4803 RR	4.8					5		R	U	BL
VIGORO	V 242 RR	2.4	1						S	U	G
VIGORO	V 282 RR	2.8	1						S	U	IB
VIGORO	V 29N3 RR	2.9	1						R	U	IB
VIGORO	V 32N3 RR	3.2			3				R	U	IB
VIGORO	V 352 NRR	3.5			3				R	U	IB
VIGORO	V 363 NRR	3.7			3	4			R	U	BL
VIGORO	V 372 RR	3.7			3				S	U	BL
VIGORO	V 393 NRR	3.9				4			R	U	BL
VIGORO	V 40N3 RR	4.0				4			R	U	BL
VIGORO	V 42N3 RR	4.2				4			R	U	BR
VIGORO	V 46N3 RR	4.6				4			R	U	BL
WILKEN	1493 RR	1.9	1						S	U	BR
WILKEN	2217 RR	2.1	1						S	U	T
WILKEN	2319 RR	2.1	1						S	U	IB
WILKEN	2321 NRR	2.2	1	2					R	U	BL
WILKEN	2336 NRR	2.3	1						R	U	BL
WILKEN	2433 RR	2.3	1	2				6	S	U	BL
WILKEN	2568 RR	2.6	1	2				6	S	U	BL
WILKEN	2577 RR	2.7		2				6	S	U	BR
WILKEN	2582 RR	2.8		2					S	U	IB
WILKEN	2583 RR	2.8		2					S	U	BL
WILKEN	2663 RR	2.6		2	3			6	S	U	IB
WILKEN	2691 NRR	2.9		2	3			6	R	U	BU
WILKEN	3403 RR	3.0			3				S	U	BL
WILKEN	3412 RR	3.1			3			6	S	U	BR
WILKEN	3419 NRR	3.1		2	3			6	R	U	BL
WILKEN	3461 NRR	3.6		2	3			6	R	U	BL
WILKEN	3464 RR	3.6			3				S	U	BL
WILKEN	3471 NRR	3.7			3			6	R	U	IB
WILKEN	3498 RR	3.9			3				S	U	BL
WILKEN	3499 NRR	3.9			3				S	U	BU
WILKEN	WE 879 RR	2.4	1						S	U	IB
WILKEN	WE 881 NRR	2.8		2	3			6	R	U	IB
WILKEN	WE 904 RR	2.5		2					S	U	BR
WILKEN	WE 907 NRR	3.1			3				R	U	BL
WILKEN	WE 911 RR	3.1			3				S	U	IB
WILKEN	WE 966 NRR	2.8		2	3				R	U	IB
WILKEN	WE 979 RR	2.5		2					S	U	BR
WILKEN	WE 983 NRR	2.7		2	3			6	R	U	BL
WILKEN	WE 984 NRR	3.2		2	3				R	U	IB
WILKEN	WE 985 RR	3.4			3				S	U	BL
WILKEN	WE 987 NRR	3.5			3				R	U	BL
WILKEN	WE 995 RR	2.6		2					S	U	BL
WILKEN	WE 997 NRR	2.7		2					R	U	BR
WILKEN	WE 999 RR	3.1			3				S	U	BL
WILKEN	WX 101 RR	3.4			3				S	U	IB
WILKEN	WX 103 NRR	3.8			3				R	U	IB
WILKEN	WX 123 RR	4.0			3				S	U	BL
WILLCROSS	RR 2253	2.5	1						S	U	BR
WILLCROSS	RR 2263 N	2.6	1	2					R	U	IB
WILLCROSS	RR 2323 N	3.2	1	2					R	U	IB
WILLCROSS	RR 2343	3.4		2					S	U	BL
WILLCROSS	RR 2373 N	3.7			3	4			MR	U	IB
WILLCROSS	RR 2392 N	3.9			3	4			R	U	BU
WILLCROSS	RR 2423 N	4.1			3	4			R	U	BL
WILLCROSS	RR 2432 N	4.3				4			MR	U	BL

2002 Soybean Test Results
Region 1: Conventional (30-inch row spacing)

COMPANY	VARIETY	Yield bu/a	Regional Results			Erie Yield bu/a	Mt. Morris Yield bu/a	DeKalb Yield bu/a	2 yr	3yr
			Maturity Date	Lodging	Height in				Avg Yield bu/a	Avg Yield bu/a
MATURITY GROUP 2										
AGRINETICS	AGRISOY 2008 . . .	45.7	9/19	1.4	26	46.3	38.9	51.8	53.5	57.0
AGRINETICS	AGRISOY 2029 STS	49.8	9/27	1.4	25	48.3	45.5	55.5	55.2	56.6
AGRINETICS	AGRISOY 2828 . . .	48.5	9/25	1.5	24	48.0	40.7	56.9	55.0	58.9
DAIRYLAND	DSR-265 STS	51.7	9/25	1.5	26	51.1	48.5	55.7	57.1	59.4
DERAEDT	2544	56.3	9/24	1.5	27	46.5	52.9	69.6		
FS HISOY	HS 2491	44.6	9/21	1.4	24	44.9	38.5	50.4	53.2	56.4
GMA	SVI 2233	51.7	9/18	1.7	27	47.0	44.8	63.3		
HENKEL	SS 2233	49.5	9/19	1.5	26	50.1	41.4	56.9		
HENKEL	SS 7296	48.3	9/21	1.5	28	42.4	45.7	56.7		
ILLINOIS PRIDE	LODA	41.6	9/20	1.5	22	41.5	35.8	47.7	50.6	55.1
ILLINOIS PRIDE	SAVOY	49.5	9/21	1.5	24	46.6	45.4	56.6	54.3	57.3
KRUGER	K-2525+	50.4	9/22	1.5	24	44.1	44.1	63.2	58.3	
KRUGER	K-2818+	53.4	9/22	1.5	26	47.9	49.3	63.1		
KRUGER	K-2828	54.7	9/22	1.5	29	54.8	49.1	60.1		
KRUGER	K-2929	53.0	9/25	1.5	28	48.8	48.7	61.6	59.3	
LATHAM	830	54.2	9/24	1.5	25	53.1	47.2	62.2	59.2	61.7
LATHAM	940	55.3	9/24	1.5	28	48.3	50.5	67.2	59.5	
LATHAM	EX-700	50.3	9/21	1.5	24	47.9	43.2	60.0		
PRAIRIE BRAND	PB-230	49.5	9/20	1.5	25	49.4	40.9	58.3	56.5	60.4
PRAIRIE BRAND	PB-256	50.5	9/21	1.5	24	50.0	42.1	59.5	56.9	60.2
PRAIRIE BRAND	PB-260 N	48.7	9/24	1.5	28	42.6	48.2	55.2		
PRAIRIE BRAND	PB-278	54.5	9/25	1.5	26	49.6	49.3	64.7	57.9	
PUBLIC VARIETY	DWIGHT	47.8	9/22	1.5	25	47.0	40.1	56.3	54.4	57.0
PUBLIC VARIETY	JACK	44.6	9/24	1.9	33	41.3	40.7	51.8	50.5	53.3
PUBLIC VARIETY	LN 92-7369	46.6	9/21	1.5	25	39.3	42.2	58.4	50.2	53.1
SIEBEN	250	44.0	9/23	1.5	24	40.4	40.4	51.2	53.8	56.9
SIEBEN	270	52.6	9/23	1.5	26	50.6	48.7	58.7		
UAP	DG 3219	46.0	9/21	1.6	24	44.9	39.4	53.7	54.5	59.2
WILKEN	2325	48.5	9/18	1.5	24	45.1	44.0	56.5	56.9	59.4
	AVERAGE	49.5	9/22	1.5	26	46.5	44.1	58.0	55.3	57.6
	L.S.D. 25% LEVEL	2.8		0.1	1	3.0	3.2	3.5		
	COEFF. OF VAR. (%)	10.5		7.5	6	6.9	7.5	6.3		

MATURITY GROUP 3

DAIRYLAND	DSR-299 STS	57.2	9/29	1.6	29	56.4	57.2	58.0	59.7	59.8
DAIRYLAND	DSR-300	55.1	9/28	1.6	29	56.6	49.8	59.0	59.1	60.9
ILLINOIS PRIDE	ILP-3281 C	47.6	9/27	1.8	31	47.2	44.0	51.7	48.3	49.8
ILLINOIS PRIDE	MACON	50.1	9/29	1.5	30	50.5	45.3	54.6	53.5	55.9
ILLINOIS PRIDE	MAVERICK	49.7	9/30	1.7	36	49.4	48.2	51.5	51.9	51.9
PRAIRIE BRAND	PB-311	52.4	9/28	1.6	26	56.5	39.6	61.2		
PUBLIC VARIETY	IA 3005	49.7	9/29	1.6	30	51.2	44.1	53.8	49.9	51.0
PUBLIC VARIETY	LINFORD	48.0	9/30	2.1	35	48.9	45.9	49.3	49.7	50.1
PUBLIC VARIETY	PANA	51.3	9/28	1.8	36	51.6	49.5	52.8	52.6	53.0
PUBLIC VARIETY	WILLIAMS 82	46.2	9/30	1.9	35	44.7	47.6	46.3	45.5	
PUBLIC VARIETY	YALE	46.3	9/29	1.6	32	45.4	41.7	52.0	49.2	50.0
	AVERAGE	50.3	9/29	1.7	32	50.8	46.6	53.7	51.9	53.6
	L.S.D. 25% LEVEL	3.3		0.2	2	2.1	2.9	1.2		
	COEFF. OF VAR. (%)	11.7		18.6	9	7.2	11.1	3.9		

2002 Soybean Test Results
Region 1: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY	Yield bu/a	Regional Results			Erie Yield bu/a	Mt. Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3yr Avg Yield bu/a
			Maturity Date	Lodging Height in						
MATURITY GROUP 1										
DAIRYLAND	DSR-199 RR	49.1	9/15	1.5	24	54.3	37.5	55.5	54.8	
EXCEL	8193 RR	48.7	9/15	1.5	24	52.4	39.9	53.8		
KRUGER	EX 191+ RR	41.4	9/14	1.5	21	46.9	33.1	44.3		
MERSCHMAN	MARS VIIIR	49.0	9/15	1.5	22	53.0	38.2	55.9		
MERSCHMAN	VENUS RR	47.1	9/13	1.5	25	54.6	36.9	49.7		
UAP	DG 3199 NRR	46.7	9/14	1.5	26	54.4	32.9	52.8		
WILKEN	1493 RR	41.1	9/16	1.4	24	44.1	32.1	47.1	49.5	
	AVERAGE	46.2	9/14	1.5	23	51.4	35.8	51.3	52.1	
	L.S.D. 25% LEVEL	2.2		0.0	1	1.5	1.1	1.3		
	COEFF. OF VAR. (%)	8.4		0.0	8	5.2	5.6	4.5		
MATURITY GROUP 2										
ADLER	255 RR	45.2	9/20	1.5	25	45.0	36.7	54.0		
ADLER	286 RRN	46.3	9/24	1.4	26	48.6	37.4	53.0		
AGRINETICS	EXCEL 8200	48.8	9/18	1.5	24	51.2	37.0	58.0	54.9	
AGRINETICS	EXCEL 8235	46.0	9/19	1.5	24	45.4	38.9	53.7	52.9	
AGRINETICS	EXCEL 8274 N	49.0	9/25	1.6	26	52.1	42.3	52.6	55.6	
AGRINETICS	EXCEL 8298	49.4	9/25	1.5	27	49.7	45.1	53.3	55.3	57.9
ASGROW	AG 2703	48.8	9/24	1.5	26	50.1	40.2	56.2	55.7	59.2
ASGROW	AG 2905	45.3	9/25	1.4	25	46.0	36.8	53.3		
CROW'S	C 2606 R	46.9	9/22	1.5	27	48.1	40.1	52.5	54.1	
CROW'S	C 2615 R	46.0	9/18	1.4	26	49.6	35.6	52.8		
DAIRYLAND	DSR-221 RR	47.8	9/16	1.5	25	48.9	39.0	55.5	54.5	
DAIRYLAND	DSR-228 RR	47.5	9/15	1.5	25	49.7	39.6	53.4	54.4	59.9
DAIRYLAND	DSR-251 RR	47.3	9/22	1.5	26	49.0	37.2	55.6	53.5	
DAIRYLAND	DSR-255 RR	43.3	9/21	1.5	27	42.9	36.0	50.9		
DAIRYLAND	DSR-268 RR	49.3	9/22	1.5	27	50.4	41.8	55.7	54.6	
DAIRYLAND	DSR-274 RR	48.9	9/23	1.5	27	53.7	38.9	54.1		
DAIRYLAND	DSR-297 RR	49.3	9/25	1.5	26	51.2	45.1	51.5		
DEKALB	DKB 27-51	44.8	9/21	1.4	26	47.4	36.9	50.1		
DERAEDT	2120 RR	45.3	9/18	1.5	24	49.9	35.8	50.2	52.2	
DERAEDT	2320 RR	46.4	9/17	1.5	24	48.7	39.2	51.4	54.5	
DERAEDT	2701 RR	50.4	9/24	1.5	27	49.3	43.6	58.3		
DERAEDT	2733 NRR	48.8	9/24	1.5	26	50.6	39.4	56.6		
DERAEDT	2820 RR	46.0	9/22	1.4	24	46.8	38.7	52.4	53.1	
EXCEL	8234 RR	44.8	9/15	1.5	23	44.8	35.5	54.0	53.5	
EXCEL	8254 RR	48.1	9/23	1.5	24	49.8	39.8	54.7	55.1	
EXCEL	8265 RR	46.2	9/21	1.5	26	45.8	37.1	55.7		
FS HISOY	HS 2515	48.8	9/21	1.5	24	46.6	39.5	60.2	55.3	
FS HISOY	HS 2906	44.7	9/25	1.5	25	48.6	34.6	50.9	52.7	57.4
FS HISOY	RT 2495	41.7	9/16	1.5	23	41.6	36.2	47.4	48.9	54.5
FS HISOY	X 2626	46.9	9/23	1.5	26	50.8	37.1	52.7		
FS HISOY	X 2725	47.7	9/24	1.5	24	47.1	39.6	56.3		
GARST	2332 RR	45.7	9/18	1.5	24	49.9	39.5	47.8		
GARST	2547 RR	42.0	9/15	1.5	22	42.7	33.0	50.3	52.0	
GARST	2677 RR	48.7	9/23	1.5	23	47.4	40.2	58.6		
GMA	SVI 2759	45.6	9/20	1.5	26	44.8	38.5	53.6		
GOLDEN HARVEST	H 2453 RR	48.9	9/20	1.4	23	48.7	38.5	59.7	54.5	
GOLDEN HARVEST	H 2503 RR	48.5	9/23	1.5	26	49.7	40.9	54.8		
GOLDEN HARVEST	H 2659 RR	47.3	9/21	1.5	27	47.5	39.4	55.0	53.9	
GOLDEN HARVEST	H 2824 RR	42.8	9/24	1.5	27	40.0	37.9	50.6	50.9	

2002 Soybean Test Results
Region 1: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY	Yield bu/a	Regional Results			Erie Yield bu/a	Mt. Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3yr Avg Yield bu/a
			Maturity Date	Lodging	Height in					
GOLDEN HARVEST	X 12811 RR	49.4	9/25	1.5	26	52.2	38.5	57.5		
GREAT LAKES	GL 2301 RR	47.3	9/20	1.7	23	46.8	38.0	57.3		
HENKEL	SS 8201 RR	47.3	9/22	1.5	26	46.3	44.6	51.0	54.1	
HENKEL	SS 8503 RR	47.3	9/25	1.5	26	49.8	39.2	53.0		
HUGHES	441 RR	46.0	9/16	1.5	24	46.7	38.1	53.3		
HUGHES	532 RR	45.1	9/22	1.4	25	44.0	39.5	51.7		
HUGHES	551 RR	50.9	9/23	1.5	26	52.2	44.0	56.5	54.7	
HUGHES	852 RR	46.6	9/26	1.5	26	44.9	40.4	54.5		
KALTENBERG	KB 264 RR	51.0	9/24	1.5	27	53.0	43.5	56.5		
KALTENBERG	KB 273 RR	47.8	9/26	1.5	24	50.5	40.3	52.5	54.9	
KALTENBERG	KB 275 RR	49.6	9/24	1.5	27	50.5	38.4	59.9		
KRUGER	EX 200 RR	44.7	9/17	1.5	22	43.2	36.8	53.9		
KRUGER	EX 265 RR	41.8	9/23	1.3	21	45.2	31.0	49.2		
KRUGER	EX 299 RR	44.4	9/22	1.5	24	43.9	37.5	51.8		
KRUGER	K-211 RR	45.7	9/18	1.5	21	44.5	35.1	57.4		
KRUGER	K-222+ RR	46.7	9/17	1.5	24	46.0	39.7	54.3	54.2	59.0
KRUGER	K-223 RR	44.4	9/18	1.4	21	45.1	35.5	52.8	55.5	
KRUGER	K-232 RR	44.7	9/19	1.4	21	46.3	37.3	50.5		
KRUGER	K-232+ RR	43.8	9/22	1.5	21	45.1	36.5	49.8		
KRUGER	K-233 RR	47.9	9/18	1.4	23	48.5	39.0	56.1		
KRUGER	K-242 RR/SCN	42.9	9/17	1.5	23	42.0	34.2	52.3		
KRUGER	K-255-5 RR	41.1	9/24	1.6	22	37.1	34.7	51.4	51.6	
KRUGER	K-262-2 RR	47.0	9/22	1.6	23	48.0	36.9	56.0	53.5	
KRUGER	K-268 RR	49.5	9/21	1.5	23	49.6	39.1	59.6		
KRUGER	K-269 RR	50.8	9/23	1.5	24	50.9	40.7	60.9		
KRUGER	K-272 RR	45.0	9/18	1.4	22	40.7	38.0	56.3	53.0	
KRUGER	K-272 RR/SCN	42.5	9/21	1.4	24	43.0	33.9	50.5		
KRUGER	K-272+ RR/SCN . . .	47.7	9/23	1.5	27	52.7	38.8	51.5		
KRUGER	K-273 RR	46.4	9/23	1.4	25	48.7	38.5	52.1		
KRUGER	K-277 RR/SCN	43.9	9/23	1.5	23	43.0	36.0	52.8		
KRUGER	K-282+ RR	49.2	9/25	1.5	24	52.6	39.3	55.6		
KRUGER	K-282-1 RR/SCN . .	47.1	9/24	1.5	29	46.4	39.0	55.9		
KRUGER	K-286 RR	49.2	9/21	1.6	26	50.1	41.1	56.3	56.4	
KRUGER	K-287 RR	48.3	9/23	1.5	25	50.4	39.7	54.9		
KRUGER	K-288 RR/SCN	47.7	9/23	1.4	27	48.6	40.2	54.3		
KRUGER	K-288+ RR/SCN . . .	47.0	9/23	1.5	26	47.3	42.9	50.8		
KRUGER	K-288-8 RR	45.8	9/24	1.4	23	45.3	36.4	55.7	55.0	
KRUGER	K-292 RR	49.2	9/24	1.5	25	53.4	41.6	52.7		
LATHAM	727 RR	48.7	9/21	1.5	25	46.8	41.6	57.7		
LATHAM	917 RR	48.4	9/24	1.5	25	51.4	40.9	52.9	54.6	
LATHAM	967 RR	50.2	9/22	1.6	27	49.4	43.9	57.3		
LATHAM	EX-738 RR	49.3	9/24	1.5	27	46.9	43.1	57.9		
MARK	MRK RR 0129 CTB	44.7	9/21	1.5	27	42.9	36.0	55.1		
MERSCHMAN	APACHE VIIIR . . .	50.6	9/23	1.5	25	50.7	39.0	62.3		
MERSCHMAN	MOHEGAN IVRR . . .	45.4	9/21	1.5	28	43.7	40.2	52.3	50.1	53.3
MERSCHMAN	MUNSEE IIIR	44.9	9/17	1.5	23	45.2	34.7	54.8	52.0	
MERSCHMAN	NAVAHO VIIR	43.1	9/14	1.5	24	45.8	32.3	51.3	49.3	
MERSCHMAN	SHAWNEE VIIIR . . .	48.0	9/19	1.6	30	48.6	40.2	55.4	53.1	
MERSCHMAN	SIOUX IIR	48.4	9/26	1.5	24	50.3	41.0	54.0		
MERSCHMAN	UTE RR	43.8	9/17	1.5	26	40.6	36.1	54.5	49.5	
PIONEER	92B38	44.0	9/17	1.5	26	44.2	35.6	52.1		
PIONEER	92B75	46.8	9/21	1.5	25	47.3	39.3	54.0		
PRAIRIE BRAND	PB-1981 RR	50.3	9/17	1.5	23	51.2	39.9	59.8	55.9	
PRAIRIE BRAND	PB-2117 RR	49.3	9/13	1.4	24	51.3	40.1	56.5	55.7	59.8
PRAIRIE BRAND	PB-2141 RR	44.4	9/20	1.4	21	45.4	36.7	51.0		
PRAIRIE BRAND	PB-2352 RR	45.1	9/20	1.5	24	42.5	38.7	54.0		

2002 Soybean Test Results
Region 1: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY	Regional Results				Erie	Mt. Morris	DeKalb	2 yr	3yr
		Yield	Maturity	Lodging	Height	Yield	Yield	Yield	Avg	Avg
		bu/a	Date		in	bu/a	bu/a	bu/a	Yield	Yield
PRAIRIE BRAND	PB-2532 RR	46.9	9/25	1.5	23	49.8	37.3	53.5		
PRAIRIE BRAND	PB-2552 RR	51.3	9/21	1.5	24	54.0	38.9	61.1		
PRAIRIE BRAND	PB-2692 NRR	44.5	9/24	1.5	27	49.7	36.0	47.8		
PRAIRIE BRAND	PB-2732 RR	48.5	9/25	1.5	24	52.6	39.5	53.4		
PRAIRIE BRAND	PB-2841 RR	46.9	9/25	1.4	25	48.5	38.6	53.5	53.9	
RENK	RS 202 NRR	45.1	9/14	1.5	24	42.3	38.2	54.7		
RENK	RS 212 RR	45.6	9/21	1.4	24	46.7	36.5	53.6		
RENK	RS 221 RR	42.5	9/16	1.6	25	43.4	37.0	47.3		
RENK	RS 240 RR	39.9	9/15	1.5	24	42.4	31.1	46.0	49.1	54.6
RENK	RS 252 RR	45.0	9/21	1.4	26	44.8	41.0	49.2		
RENK	RS 262 NRR	46.1	9/20	1.5	26	47.2	38.1	53.0		
RENK	RS 272 RR	48.9	9/24	1.5	24	53.6	40.9	52.3		
RENK	RS 281 RR	44.4	9/24	1.5	25	42.9	38.1	52.3	51.2	
ROESCHLEY	R 5278 CRR	48.9	9/25	1.5	26	53.0	40.6	53.0		
SIEBEN	2603 NRR	47.0	9/24	1.4	26	51.2	38.3	51.5		
SIEBEN	2803 RR	44.0	9/22	1.4	27	43.3	39.2	49.6		
SIEBEN	2804 NRR	49.3	9/23	1.5	27	51.3	42.5	54.1		
SIEBEN	2903 NRR	45.4	9/25	1.5	25	47.5	37.3	51.4		
STINE	S 2103-4	44.1	9/18	1.5	21	46.6	34.5	51.1		
STINE	S 2463-4	42.2	9/21	1.4	20	39.9	39.3	47.3	52.5	
STINE	S 2783-4	46.6	9/25	1.4	24	45.9	38.0	56.0		
STINE	S 2842-4	48.0	9/25	1.5	25	50.9	38.0	55.1		
TRELAY	HC-2244 RR	45.4	9/22	1.5	26	47.7	38.5	50.1		
TRELAY	HC-2261 RR/SCN	45.4	9/21	1.5	26	48.4	36.0	51.9		
TRELAY	HC-2273 RR	47.1	9/21	1.5	25	48.4	39.6	53.5	53.8	56.5
TRELAY	HC-2282 RR	49.4	9/25	1.5	25	54.4	36.7	57.1	53.9	
UAP	DG 3200 RR	46.9	9/20	1.5	23	47.6	36.8	56.3		
UAP	DG 3218 RR	48.1	9/21	1.5	24	49.2	40.6	54.5		
UAP	DG 3223 RR	44.5	9/15	1.5	24	44.6	37.2	51.7		
UAP	DG 3242 RR	47.3	9/22	1.6	22	49.9	37.0	55.1		
UAP	DG 3263 RR	48.5	9/23	1.5	28	48.9	41.5	55.2	54.0	
UNITED SUPPLIERS	US S2403 RR	43.9	9/22	1.5	23	45.4	36.6	49.8		
UNITED SUPPLIERS	US S2503 RR	50.1	9/23	1.5	23	54.5	41.1	54.7		
UNITED SUPPLIERS	US S2703 RR	49.8	9/24	1.5	28	49.5	44.3	55.6		
VIGORO	V 242 RR	46.7	9/21	1.5	25	46.4	39.3	54.3		
VIGORO	V 282 RR	48.8	9/25	1.5	25	51.0	40.5	54.9	54.8	
VIGORO	V 29N3 RR	44.4	9/24	1.4	25	46.5	40.6	46.1		
WILKEN	2217 RR	46.8	9/17	1.5	22	44.0	40.7	55.7		
WILKEN	2319 RR	48.8	9/19	1.5	24	50.1	40.0	56.4	55.2	
WILKEN	2321 NRR	46.0	9/14	1.5	26	48.0	37.3	52.6		
WILKEN	2336 NRR	43.5	9/17	1.5	24	45.7	33.3	51.5		
WILKEN	2433 RR	44.0	9/16	1.5	24	44.3	36.5	51.2	53.5	
WILKEN	2568 RR	46.6	9/22	1.5	27	49.0	39.4	51.6	51.9	
WILKEN	WE 879 RR	45.5	9/20	1.5	23	44.2	38.5	53.9		
WILLCROSS	RR 2253	52.2	9/22	1.5	24	56.3	40.4	59.9		
WILLCROSS	RR 2263 N	48.5	9/25	1.4	26	49.4	39.8	56.2		
AVERAGE		46.6	9/21	1.5	25	47.6	38.6	53.8	53.5	57.2
L.S.D. 25% LEVEL		2.3		0.1	1	3.6	3.4	3.3		
COEFF. OF VAR. (%)		8.9		6.4	7	8.1	9.4	6.5		

2002 Soybean Test Results
Region 1: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY	Yield bu/a	Regional Results			Erie Yield bu/a	Mt. Morris Yield bu/a	DeKalb Yield bu/a	2 yr	3yr
			Maturity Date	Lodging	Height in				Avg Yield bu/a	Avg Yield bu/a
MATURITY GROUP 3										
DAIRYLAND	DSR-303 RR	53.8	9/26	1.5	28	58.3	47.1	56.0	59.1	60.8
DEKALB	DKB 31-51	55.1	9/27	1.5	27	64.1	45.1	56.3		
LATHAM	1067 RR	54.3	9/27	1.4	29	57.4	46.1	59.3	59.6	61.7
LATHAM	EX-1108 RR	52.6	9/29	1.6	30	56.1	44.8	57.0		
PIONEER	93B09	52.9	9/27	1.5	26	57.3	43.3	58.0		
RENK	RS 310 RR	56.2	9/26	1.4	29	62.6	48.0	58.0	59.8	
WILLCROSS	RR 2323 N	55.7	9/29	1.6	31	61.7	45.4	60.0		
	AVERAGE	54.4	9/27	1.5	29	59.6	45.7	57.8	59.5	61.2
	L.S.D. 25% LEVEL	2.0		0.0	1	1.7	1.3	1.5		
	COEFF. OF VAR. (%)	6.5		0.0	7	5.1	5.0	4.5		

2002 Soybean Test Results
Region 2: Conventional (30-inch row spacing)

Region 2: Conventional (60 inch row spacing)										
COMPANY	VARIETY	Yield bu/a	Regional Results			Monmouth Yield bu/a	Goodfield Yield bu/a	Dwight Yield bu/a	2 yr Avg Yield bu/a	3yr Avg Yield bu/a
			Maturity Date	Lodging	Height in					
MATURITY GROUP 2										
DAIRYLAND	DST 2343	60.6	9/17	1.8	36	67.1	65.2	49.6		
FS HISOY	HS 2861	66.1	9/20	1.3	31	68.9	73.4	56.0	65.2	63.7
FS HISOY	HS 2911	66.4	9/21	1.6	35	75.1	72.2	51.9	65.5	
ILLINOIS PRIDE	LODA	56.6	9/14	1.7	30	55.0	66.1	48.9	58.4	58.1
ILLINOIS PRIDE	SAVOY	58.3	9/13	1.4	29	60.4	64.2	50.2	55.0	56.2
KRUGER	K-2818+	65.8	9/20	1.6	32	74.3	70.8	52.5	64.6	65.0
KRUGER	K-2828	63.1	9/16	1.8	37	69.7	66.8	52.9		
KRUGER	K-2929	64.1	9/20	1.9	37	65.0	72.4	55.0	62.8	
KRUGER	K-2990 SCN	65.4	9/20	1.9	35	69.6	70.2	56.4		
MONIER	M 291	61.8	9/16	1.8	36	66.7	64.9	53.7		
MUNSON	8299	64.7	9/18	1.7	35	71.0	69.9	53.4		
MUNSON	M 2291	66.9	9/19	1.7	35	73.1	70.5	57.0		
PUBLIC VARIETY	DWIGHT	61.9	9/15	1.6	32	67.4	68.1	50.3	61.9	61.4
PUBLIC VARIETY	JACK	58.8	9/19	2.8	44	65.9	60.4	50.0	58.8	58.2
PUBLIC VARIETY	LN 92-7369	58.2	9/12	1.7	33	59.3	65.8	49.5	55.1	55.6
SIEBEN	289	61.5	9/22	1.5	31	67.0	65.2	52.4	61.9	62.1
SPECIALTY GRAINS	IA 2045	51.6	9/11	1.3	29	56.8	59.6	38.2		
SPECIALTY GRAINS	IA 2046	54.7	9/7	1.5	30	59.3	64.4	40.5		
WILKEN	2325	61.2	9/8	1.8	31	67.1	66.5	50.0	60.5	60.2
WILKEN	2573	64.5	9/20	1.4	32	74.9	68.6	49.9	62.9	62.8
WILKEN	2584	67.1	9/19	1.8	37	72.7	71.3	57.2	63.6	
WILKEN	2592	62.8	9/19	1.8	34	66.6	69.3	52.5	59.9	59.9
WILKEN	2661 N	63.0	9/18	1.7	35	68.3	68.1	52.7		
WILKEN	WX 109 N	61.5	9/18	1.8	35	67.5	66.7	50.4		
AVERAGE		61.8	9/17	1.7	34	66.7	67.4	51.2	61.1	60.3
L.S.D. 25% LEVEL		2.6		0.2	1	3.7	3.2	3.9		
COEFF. OF VAR. (%)		7.8		16.2	8	5.8	5.0	7.9		

MATURITY GROUP 3

FS HISOY	HS 3391	54.7	9/23	1.5	33	61.8	56.7	45.6	59.8	59.7
ILLINOIS PRIDE	ILP-3281 C	52.3	9/20	2.1	36	62.5	52.1	42.3	55.4	54.4
ILLINOIS PRIDE	MACON	54.6	9/23	1.6	38	62.2	51.7	49.9	56.9	57.0
ILLINOIS PRIDE	MAVERICK	56.6	9/26	2.0	48	68.5	56.2	45.1	59.0	57.8
KRUGER	K-3434	55.9	9/23	1.6	34	62.3	57.3	48.1	59.3	
KRUGER	K-3535	56.8	9/24	1.5	34	62.6	61.9	45.9		
KRUGER	K-3711	61.0	9/23	1.4	35	65.4	64.8	52.8	63.8	
PIONEER	93B15	64.4	9/19	1.7	34	74.4	66.5	52.3		
PIONEER	93B82	57.6	9/24	1.6	37	65.3	59.8	47.8		
PIONEER	93B86	61.0	9/25	1.7	43	69.8	59.4	53.7		
PUBLIC VARIETY	IA 3005	55.8	9/24	2.1	37	64.7	55.2	47.4	56.7	56.5
PUBLIC VARIETY	LINFORD	48.7	9/26	2.2	45	58.9	42.0	45.2	51.1	52.1
PUBLIC VARIETY	PANA	55.3	9/22	2.2	47	65.3	51.3	49.1	57.7	56.9
PUBLIC VARIETY	WILLIAMS 82	46.1	9/26	1.9	44	49.5	47.4	41.3	46.7	46.4
PUBLIC VARIETY	YALE	48.2	9/26	1.9	39	62.2	39.4	43.0	51.7	51.7
SIEBEN	310 STS	57.5	9/20	1.5	35	60.0	61.1	51.5		
SPECIALTY GRAINS	IA 3016	49.5	9/16	1.7	31	51.6	52.8	44.0		
WILKEN	3401 N	56.3	9/21	1.7	37	67.3	52.9	48.7	59.2	
WILKEN	3447 N	58.4	9/21	1.6	36	71.6	58.5	45.1		
AVERAGE		55.2	9/23	1.8	38	63.4	54.9	47.3	56.4	54.7
L.S.D. 25% LEVEL		3.8		0.2	1	2.8	5.5	3.2		
COEFF. OF VAR. (%)		12.5		25.5	5	4.6	10.3	7.1		

2002 Soybean Test Results
Region 2: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY	Yield bu/a	Regional Results			Monmouth Yield bu/a	Goodfield Yield bu/a	Dwight Yield bu/a	2 yr Avg Yield bu/a	3yr Avg Yield bu/a
			Maturity Date	Lodging	Height in					
MATURITY GROUP 2										
ASGROW	AG 2705	61.2	9/16	1.8	37	68.1	62.9	52.5		
BECK'S	266 NRR	59.8	9/19	1.5	34	65.8	61.5	52.3		
BECK'S	283 RR	60.7	9/19	1.3	33	65.9	63.9	52.3	59.1	
BECK'S	295 NRR	58.1	9/19	1.4	32	63.8	61.8	48.7	59.1	
BECK'S	306 NRR	62.4	9/19	1.8	37	68.3	69.7	49.3		
BECK'S	EX 6047	60.5	9/24	1.6	33	64.7	64.9	51.8		
DAIRYLAND	DSR-255 RR	57.8	9/17	1.8	37	62.8	62.5	48.2		
DAIRYLAND	DSR-268 RR	61.6	9/14	1.8	36	64.4	64.6	55.7	61.0	
DAIRYLAND	DSR-274 RR	58.0	9/19	1.9	34	60.9	61.7	51.5		
DAIRYLAND	DSR-297 RR	59.1	9/18	1.6	35	63.3	65.5	48.7		
EXCEL	8254 RR	58.4	9/17	1.5	34	63.7	65.7	45.7		
EXCEL	8258 RR	60.8	9/12	1.9	35	63.4	65.7	53.2		
EXCEL	8266 NRR	58.6	9/20	1.9	35	60.9	62.4	52.6		
EXCEL	8275 RR	56.6	9/16	1.7	35	61.9	60.0	47.9	58.4	
EXCEL	8284 RR	57.7	9/12	2.5	37	60.8	60.1	52.1		
EXCEL	8293 RR	58.7	9/14	2.0	36	61.8	64.2	50.3		
EXCEL	8313 NRR	59.2	9/21	2.1	38	66.2	62.3	49.1		
FS HISOY	HS 2815	55.7	9/20	1.2	32	60.5	55.8	51.0	54.5	
FS HISOY	HS 2906	59.0	9/24	1.6	34	67.9	61.2	47.8	61.5	61.4
FS HISOY	X 2626	60.8	9/17	1.5	34	64.2	67.8	50.3		
FS HISOY	X 2725	57.3	9/17	1.4	32	61.4	59.7	50.7		
GMA	SV1 2954	56.8	9/17	2.0	34	62.7	57.1	50.7		
GOLDEN HARVEST	H 2824 RR	59.6	9/21	1.6	37	67.2	60.1	51.4		
GOLDEN HARVEST	H 2991 RR	58.2	9/20	1.7	35	64.2	62.2	48.1		
GOLDEN HARVEST	X 12811 RR	59.1	9/16	2.2	38	66.8	56.5	54.1		
GREAT LAKES	GL 2709 RR	61.7	9/19	1.5	35	64.3	69.1	51.6		
HOBLIT	HB 293 NRR	60.6	9/24	1.6	34	64.6	64.7	52.6		
HORIZON	H 267 NRR	57.6	9/16	1.4	32	66.4	58.1	48.3		
HORIZON	H 270 NRR	61.8	9/14	1.9	36	63.9	66.2	55.4		
HORIZON	H 285 NRR	63.9	9/18	1.6	36	72.1	70.0	49.4		
HORIZON	H 299 NRR	63.2	9/22	1.6	35	62.9	71.1	55.6	63.3	62.4
KRUGER	EX 299 RR	54.8	9/16	2.0	35	55.7	63.5	45.3		
KRUGER	K-270 RR	60.2	9/13	2.0	38	62.9	63.6	54.2		
KRUGER	K-272 RR/SCN ...	59.2	9/11	1.7	33	64.3	62.9	50.5		
KRUGER	K-272+ RR/SCN ...	60.0	9/16	1.4	34	66.3	57.0	56.7	60.3	60.5
KRUGER	K-277 RR/SCN ...	58.5	9/19	1.6	32	63.6	64.5	47.4		
KRUGER	K-282+ RR	60.6	9/16	1.6	33	66.0	68.5	47.3		
KRUGER	K-287 RR	61.2	9/18	1.4	33	68.0	66.7	49.0		
KRUGER	K-288 RR/SCN ...	63.7	9/17	1.7	36	67.3	70.1	53.7	64.5	
KRUGER	K-288+ RR/SCN ...	63.2	9/14	1.8	36	68.3	69.7	51.7		
KRUGER	K-292 RR	58.2	9/15	1.5	33	61.0	62.5	51.2		
KRUGER	K-303 RR/SCN ...	58.9	9/20	1.6	33	67.7	57.7	51.3	61.8	61.7
LEWIS	2898 RR	58.3	9/19	1.7	34	64.8	60.8	49.4	62.0	
MARK	MRK RR 0129 CTB	58.2	9/13	1.9	40	61.5	62.4	50.7		
MARK	MRK RR EX 01 ...	59.6	9/24	1.6	33	64.4	59.5	54.9		
MARK	MRK RR EX 02 ...	56.3	9/19	1.7	32	60.9	58.6	49.3		
MARK	MRK RR EX 04 ...	53.7	9/22	1.9	37	53.5	59.9	47.6		
MARK	MRK RR EX 05 ...	55.9	9/15	1.5	33	61.3	56.3	50.1		
MARK	MRK RR EX 06 ...	58.1	9/18	1.5	33	65.0	60.9	48.3		
MERSCHMAN	APACHE VIIIRR ..	61.2	9/13	1.7	33	64.5	66.6	52.5		
MERSCHMAN	CHEROKEE XRR ..	59.6	9/23	1.5	35	65.7	61.6	51.6	61.6	61.7
MERSCHMAN	SHAWNEE VIIIIRR	59.9	9/10	2.5	40	62.7	63.2	53.6	62.0	
MERSCHMAN	SIOUX IIRR	61.0	9/16	1.3	32	66.3	65.0	51.8		
MIDWEST SEED GEN	GR 2931	61.5	9/22	1.5	33	64.6	66.3	53.6		

2002 Soybean Test Results
Region 2: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY	Yield bu/a	Regional Results			Monmouth Yield bu/a	Goodfield Yield bu/a	Dwight Yield bu/a	2 yr Avg Yield bu/a	3yr Avg Yield bu/a
			Maturity Date	Lodging	Height in					
MONIER	M 2789 RR	60.6	9/15	1.5	34	66.7	64.1	50.9		
MUNSON	8290 RR	58.6	9/23	1.6	34	64.6	63.1	48.2		
PRAIRIE BRAND	PB-2732 RR	55.9	9/14	1.4	33	62.0	54.9	50.9		
PRAIRIE BRAND	PB-2841 RR	58.6	9/19	1.4	34	59.1	65.1	51.5	57.4	
SIEBEN	2903 NRR	60.6	9/20	1.3	34	64.0	64.0	53.8	62.8	
STINE	S 2783-4	60.1	9/15	1.5	33	62.0	67.0	51.4		
STINE	S 2802-4	59.7	9/20	1.4	34	65.1	61.7	52.3	62.2	
STINE	S 2842-4	62.5	9/20	1.6	34	71.6	63.4	52.4		
STRIKE	2902 NRR	61.3	9/23	1.6	34	68.1	63.9	51.9		
TRISLER	TRISOY 2807 RR . .	60.6	9/16	1.7	35	66.1	64.7	50.8	60.7	
TRISLER	TRISOY 2907 RR . .	59.2	9/22	1.5	34	63.5	64.8	49.3	61.4	61.2
UAP	DG 3263 RR	56.3	9/13	1.8	36	61.2	61.5	46.2		
UAP	DG 3270 RR	55.7	9/17	2.1	41	53.0	59.9	54.1	57.2	
UAP	DG 3286 RR	56.7	9/18	1.8	36	59.2	60.1	50.8	57.9	
UAP	DG 3287 RR	58.4	9/11	1.4	34	62.2	61.6	51.5		
UAP	DG 3292 NRR	61.2	9/22	1.6	34	67.7	64.1	51.8	63.4	
UNITED SUPPLIERS	US S2703 RR	62.2	9/12	2.1	40	65.7	65.4	55.5		
WILKEN	2321 NRR	56.5	9/10	1.8	35	62.4	58.9	48.3		
WILKEN	2433 RR	55.3	9/10	1.6	32	58.4	64.6	42.8	57.0	
WILKEN	2568 RR	57.2	9/13	1.6	36	61.8	60.2	49.5	56.6	
WILKEN	2577 RR	58.7	9/9	1.5	35	61.4	64.0	50.6	58.1	58.5
WILKEN	2582 RR	60.3	9/13	1.9	40	61.2	64.4	55.2	60.2	
WILKEN	2583 RR	56.8	9/19	1.7	35	59.1	62.1	49.2	59.0	59.4
WILKEN	2663 RR	59.1	9/14	2.0	38	62.1	62.1	53.2		
WILKEN	2691 NRR	63.7	9/20	1.6	34	70.9	62.5	57.6	65.1	
WILKEN	WE 881 NRR	60.8	9/16	1.5	34	64.3	64.4	53.6		
WILKEN	WE 904 RR	58.7	9/13	1.5	33	61.3	64.3	50.4		
WILKEN	WE 966 NRR	63.7	9/17	1.6	35	69.1	72.2	49.7		
WILKEN	WE 979 RR	61.1	9/15	1.6	35	64.3	66.6	52.5		
WILKEN	WE 983 NRR	63.6	9/15	1.8	35	67.7	68.4	54.8		
WILKEN	WE 995 RR	58.7	9/17	1.7	35	61.5	62.6	52.1		
WILKEN	WE 997 NRR	61.7	9/19	2.0	36	65.5	63.9	55.8		
WILLCROSS	RR 2263 N	58.6	9/15	1.5	34	64.3	61.3	50.0		
AVERAGE		58.9	9/17	1.7	35	63.4	62.7	50.8	60.3	60.9
L.S.D. 25% LEVEL		2.8		0.2	1	3.7	5.6	3.0		
COEFF. OF VAR. (%)		8.7		20.8	7	6.1	9.5	6.3		

MATURITY GROUP 3

ASGROW	AG 3401	61.4	9/21	2.0	41	61.5	65.9	56.7		
ASGROW	AG 3702	57.9	9/23	1.6	40	66.0	56.3	51.2		
BECK'S	323 RR	65.7	9/17	1.5	35	69.2	73.4	54.5	66.2	63.5
BECK'S	336 NRR	63.4	9/19	1.8	39	69.2	69.0	51.9	63.7	
BECK'S	355 RR	60.0	9/24	1.4	38	62.0	65.6	52.3		
BECK'S	367 NRR	62.1	9/25	1.8	35	67.1	62.9	56.2		
DAIRYLAND	DSR-301 RR	62.6	9/18	1.6	40	69.5	64.1	54.1	62.2	
DAIRYLAND	DSR-320 RR	58.0	9/20	1.5	35	58.0	64.3	51.7		
DAIRYLAND	DSR-327 RR	59.6	9/19	1.4	41	66.2	62.5	50.1	60.6	59.9
DAIRYLAND	DSR-340 RR	60.1	9/20	1.6	39	67.5	62.5	50.2	60.2	
DAIRYLAND	DST 3220 RR	62.8	9/23	1.4	37	67.3	68.3	52.7		
DEKALB	DKB 31-51	63.8	9/17	1.7	35	67.9	68.2	55.1	65.3	63.6
DEKALB	DKB 31-52	60.6	9/18	1.7	38	64.1	63.5	54.2		
DEKALB	DKB 38-52	66.3	9/24	1.4	39	71.3	69.1	58.6		
EXCEL	8321 RR	59.7	9/17	1.4	35	63.1	65.5	50.6		
FS HISOY	HS 3105	61.4	9/21	1.4	34	68.3	63.5	52.3	61.2	

2002 Soybean Test Results
Region 2: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY	Yield bu/a	Regional Results			Monmouth Yield bu/a	Goodfield Yield bu/a	Dwight Yield bu/a	2 yr Avg Yield bu/a	3yr Avg Yield bu/a
			Maturity Date	Lodging	Height in					
FS HISOY	HS 3306	62.4	9/21	1.8	40	68.1	65.0	54.2	62.8	
FS HISOY	X 3226	62.6	9/17	1.8	41	67.4	66.4	54.0		
FS HISOY	X 3425	60.9	9/24	1.4	37	61.4	69.9	51.5		
FS HISOY	X 3526	61.8	9/19	1.5	36	68.5	65.1	51.7		
GARST	3135 RR	60.8	9/21	1.7	36	66.1	66.4	50.0		
GARST	3212 RR/N	63.0	9/20	1.8	39	68.1	68.2	52.5		
GARST	3712 RR/N	61.7	9/25	1.8	34	63.1	67.4	54.5		
GMA	SVI 3047	60.8	9/16	2.4	38	66.2	60.5	55.9		
GMA	SVI 3140	59.3	9/22	1.6	39	62.3	62.1	53.6		
GOLDEN HARVEST	H 3135 RR	62.1	9/17	1.4	37	67.2	66.4	52.7		
GOLDEN HARVEST	H 3383 RR	61.0	9/23	1.9	37	67.4	64.8	50.7		
HOBLIT	HB 343 RR	60.0	9/18	1.6	35	65.5	61.8	52.8		
HORIZON	H 328 NRR	63.3	9/22	1.6	34	66.4	67.4	56.1		
HORIZON	H 332 NRR	60.1	9/20	1.4	40	69.1	64.0	47.0	60.4	
KRUGER	EX 325 RR	61.5	9/18	1.6	39	67.9	66.3	50.4		
KRUGER	EX 343 RR	58.3	9/18	2.1	43	63.8	60.7	50.5		
KRUGER	EX 389 RR/SCN ...	67.2	9/26	1.6	38	70.2	74.6	56.8		
KRUGER	K-311+ RR	64.2	9/20	1.6	37	68.6	70.2	53.8		
KRUGER	K-323 RR	61.4	9/19	1.6	38	65.9	66.3	52.0	62.0	61.5
KRUGER	K-323 RR/SCN	61.4	9/23	1.8	38	67.1	66.6	50.5		
KRUGER	K-330 RR/SCN	65.5	9/20	1.7	39	72.1	67.4	56.9	65.3	62.6
KRUGER	K-333 RR	61.7	9/20	1.5	35	67.2	66.7	51.3		
KRUGER	K-340 RR/SCN	60.3	9/22	1.6	34	65.4	66.3	49.2		
KRUGER	K-344 RR/SCN	63.9	9/17	1.9	39	67.9	69.8	54.0		
KRUGER	K-349 RR	65.5	9/17	1.5	35	70.7	69.9	55.9	65.6	65.0
KRUGER	K-353 RR	60.6	9/20	1.5	35	65.6	65.1	51.0		
KRUGER	K-359 RR	63.0	9/19	1.5	37	61.7	68.5	58.6		
KRUGER	K-366 RR/SCN	60.4	9/18	1.6	37	64.4	65.1	51.7		
KRUGER	K-377 RR/SCN	61.4	9/25	1.5	34	65.7	68.1	50.4	62.8	
KRUGER	K-383-3 RR/SCN ..	59.5	9/22	1.5	38	67.2	63.3	48.0		
KRUGER	K-388 RR/SCN	62.5	9/24	1.6	36	72.3	66.3	48.9		
KRUGER	K-401 RR/SCN	65.4	9/28	1.4	40	73.2	65.0	58.0		
LEWIS	3268 RR	62.0	9/22	1.6	40	62.5	66.5	57.0		
MERSCHMAN	FILLMORE VRR ..	60.8	9/19	1.4	36	63.1	68.5	50.6	60.6	59.8
MERSCHMAN	HOOVER VRR	62.0	9/25	1.4	36	68.9	64.4	52.7		
MERSCHMAN	JEFFERSON IIIRR ..	59.9	9/19	1.5	36	65.7	60.8	53.0	61.3	61.4
MERSCHMAN	KENNEDY VIRRR ..	62.7	9/26	1.6	36	67.4	66.7	54.1		
MERSCHMAN	MONROE IIIRR ...	57.8	9/25	1.5	36	62.3	60.6	50.6	59.0	59.8
MERSCHMAN	TRUMAN RR	58.9	9/25	1.3	41	65.5	62.3	49.0		
MERSCHMAN	WASHINGTON 8RR	61.6	9/24	1.4	37	64.2	69.2	51.5		
MIDWEST SEED GEN	GR 3331	61.9	9/21	1.8	39	68.1	66.2	51.6	62.4	
MUNSON	8339 RR	62.5	9/22	1.8	36	66.1	66.3	55.0		
MUNSON	8367 RR	61.6	9/25	1.9	35	62.9	65.4	56.6		
PIONEER	93B09	61.5	9/18	1.5	35	64.8	67.6	52.0		
PIONEER	93B36	62.8	9/21	1.5	37	66.7	68.4	53.3		
PIONEER	93B67	64.0	9/21	1.6	41	70.6	68.6	52.7	63.2	
PRAIRIE BRAND	PB-3230 RR	62.3	9/19	1.5	37	66.9	66.4	53.8		
PRAIRIE BRAND	PB-3432 RR	59.6	9/21	1.7	35	67.4	57.9	53.6	62.6	
PRAIRIE BRAND	PB-3621 RR	61.5	9/25	1.8	36	66.9	62.4	55.2		
ROESCHLEY	R 5352 CRR	61.1	9/23	1.5	35	64.7	67.9	50.7	62.8	
SIEBEN	3203 NRR	62.4	9/18	1.4	38	66.3	65.8	55.1		
SIEBEN	3403 RR	59.8	9/16	1.6	34	66.7	63.1	49.7		
STINE	S 3200-4	61.2	9/19	1.4	36	67.7	66.2	49.6		
STINE	S 3300-4	61.5	9/20	1.6	37	68.6	65.4	50.6		
STINE	S 3632-4	62.1	9/26	1.6	36	65.6	67.2	53.5		
STRIKE	3302 NRR	58.8	9/22	1.7	36	65.6	60.9	50.0		

2002 Soybean Test Results
Region 2: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY	Yield bu/a	Regional Results			Monmouth Yield bu/a	Goodfield Yield bu/a	Dwight Yield bu/a	2 yr Avg Yield bu/a	3yr Avg Yield bu/a
			Maturity Date	Lodging	Height in					
STRIKE	3702 RR	61.8	9/22	1.7	36	68.2	64.7	52.5		
TRISLER	TRISOY 3222 RR ..	64.5	9/19	1.5	40	67.4	70.3	55.9		
UNITED SUPPLIERS	US S3003 RR	62.7	9/19	1.4	37	67.2	68.3	52.6		
WILKEN	3419 NRR	61.1	9/21	1.7	39	67.9	62.8	52.6	62.4	
WILKEN	3461 NRR	62.2	9/24	1.6	36	68.7	65.9	51.9	62.8	
WILKEN	WE 984 NRR	60.6	9/19	1.7	38	64.1	63.0	54.8		
WILLCROSS	RR 2323 N	63.3	9/20	1.6	39	65.6	67.1	57.2		
WILLCROSS	RR 2343	60.5	9/19	1.6	35	65.9	66.2	49.3		
AVERAGE		61.7	9/21	1.6	37	66.5	65.7	52.8	62.5	61.9
L.S.D. 25% LEVEL		2.4		0.2	1	3.1	2.9	3.1		
COEFF. OF VAR. (%)		7.1		24.7	7	4.9	4.7	6.2		

2002 Soybean Test Results
Region 3: Conventional (30-inch row spacing)

COMPANY	VARIETY	Yield bu/a	Regional Results			Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3yr Avg Yield bu/a
			Maturity Date	Lodging	Height in					
MATURITY GROUP 2										
DAIRYLAND	DSR-289 STS	57.1	9/26	2.8	38	56.0	53.7	61.6	58.4	
FS HISOY	HS 2911	65.5	9/24	2.2	34	68.3	63.3	65.1	65.4	
GOLDEN HARVEST	H 2885	63.0	9/23	1.6	33	62.0	64.1	63.0	63.1	62.1
ILLINOIS PRIDE	LODA	57.6	9/16	2.1	31	55.0	57.9	59.9	55.9	55.2
ILLINOIS PRIDE	SAVOY	55.3	9/17	1.5	30	46.1	60.2	59.6	55.1	54.7
KRUGER	K-2818+	63.5	9/24	1.9	33	60.6	62.0	67.9	62.0	61.9
KRUGER	K-2990 SCN	65.3	9/24	2.3	34	65.3	64.8	65.6		
PUBLIC VARIETY	DWIGHT	61.1	9/16	1.6	32	59.2	59.9	64.2	60.4	59.6
PUBLIC VARIETY	JACK	58.0	9/22	3.5	42	58.1	54.2	61.9	57.3	56.0
PUBLIC VARIETY	LN 92-7369	53.8	9/19	1.7	30	46.4	55.8	59.3	52.9	52.1
AVERAGE		59.1	9/20	2.1	33	56.4	58.9	62.0	58.9	57.4
L.S.D. 25% LEVEL		3.4		0.3	2	1.6	1.2	2.0		
COEFF. OF VAR. (%)		10.1		27.5	8	5.1	3.8	5.6		

MATURITY GROUP 3

DAIRYLAND	DSR-378	60.8	10/1	1.6	38	58.6	63.3	60.6	59.6	
FS HISOY	HS 3391	61.0	10/1	1.5	34	62.2	62.2	58.7	58.9	58.3
FS HISOY	HS 3591	66.1	9/29	2.5	41	66.6	64.9	66.9	64.8	63.4
FS HISOY	HS 3892	71.6	9/29	1.4	41	71.9	70.0	73.0	66.2	63.6
GOLDEN HARVEST	H 1383	61.6	10/2	1.6	36	62.8	65.6	56.3	62.1	
GOLDEN HARVEST	H 3777	70.2	9/29	1.5	40	71.7	67.3	71.4	66.6	65.1
ILLINOIS PRIDE	ILP-3281 C	58.2	9/25	3.6	39	55.8	57.5	61.4	56.3	54.5
ILLINOIS PRIDE	MACON	61.2	9/28	1.7	38	59.1	63.5	60.9	61.0	59.5
ILLINOIS PRIDE	MAVERICK	62.3	10/2	2.7	45	64.3	58.5	63.9	61.5	61.1
KRUGER	K-3434	62.0	10/1	1.7	36	59.2	63.1	63.8	58.9	
KRUGER	K-3535	60.5	10/1	1.6	35	59.1	63.4	59.0		
KRUGER	K-3711	64.2	10/2	1.4	33	63.6	69.6	59.4	64.2	
KRUGER	K-3777 SCN	70.8	9/30	1.4	40	71.3	66.2	74.8	66.7	65.0
PIONEER	93B15	67.6	9/23	2.0	34	68.3	66.2	68.2		
PIONEER	93B82	60.9	9/30	2.0	37	59.8	66.2	56.6		
PIONEER	93B86	66.5	9/30	2.9	42	67.7	67.2	64.6		
PUBLIC VARIETY	IA 3005	58.0	9/30	3.2	37	58.4	54.6	61.0	57.0	56.0
PUBLIC VARIETY	LINFORD	57.4	9/27	3.3	44	58.3	54.8	59.3	55.3	54.8
PUBLIC VARIETY	PANA	63.2	9/26	3.2	48	63.6	59.4	66.8	62.2	59.9
PUBLIC VARIETY	WILLIAMS 82	50.7	9/28	2.4	42	46.6	52.8	52.6	50.5	49.2
PUBLIC VARIETY	YALE	59.4	9/30	2.1	41	61.9	58.3	57.9	56.6	55.6
UAP	DG 3369 N	69.7	9/29	1.5	39	73.8	63.7	71.5	61.8	61.6
UAP	DG 3395	64.2	10/2	1.6	37	63.0	67.4	62.3	63.8	62.2
WILKEN	3494	65.0	10/1	1.6	39	61.9	69.1	63.9	65.3	63.3
AVERAGE		62.8	9/29	2.0	39	63.0	63.0	62.5	60.9	59.6
L.S.D. 25% LEVEL		3.0		0.2	1	2.4	5.5	3.6		
COEFF. OF VAR. (%)		8.7		21.1	6	4.0	5.3	6.0		

2002 Soybean Test Results
Region 3: Roundup Resistant (30-inch row spacing)

Region of Maryland Resistant (50 inch row spacing)										
COMPANY	VARIETY	Regional Results				Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr	3yr
		Yield bu/a	Maturity Date	Lodging	Height in				Avg Yield bu/a	Avg Yield bu/a
MATURITY GROUP 2										
DAIRYLAND	DSR-255 RR	54.2	9/17	1.6	37	53.2	52.5	56.9	56.2	
DAIRYLAND	DSR-268 RR	55.3	9/20	1.7	35	53.1	56.2	56.6		
DAIRYLAND	DSR-274 RR	57.7	9/21	2.0	33	53.8	61.5	57.8		
DAIRYLAND	DSR-290 RR	54.6	9/24	1.9	35	54.5	56.4	52.9		
DAIRYLAND	DSR-297 RR	55.8	9/21	1.5	33	52.2	57.8	57.3		
EXCEL	8295 RR	56.2	9/21	1.5	33	53.7	55.9	59.0	57.7	
EXCEL	8313 NRR	62.5	9/25	2.0	36	64.4	61.4	61.6		
GATEWAY	2R288	56.9	9/23	1.4	33	52.5	59.9	58.3		
GOLDEN HARVEST	H 2991 RR	57.0	9/20	1.5	32	54.1	57.9	58.9		
GOLDEN HARVEST	X 12811 RR	55.8	9/21	1.8	36	51.7	55.9	59.8		
KRUGER	EX 299 RR	51.3	9/17	1.8	32	44.2	53.7	56.1	60.0	
KRUGER	K-270 RR	57.3	9/17	1.8	35	52.9	61.1	57.9		
KRUGER	K-272 RR/SCN	54.4	9/14	1.5	31	57.8	52.6	52.8		
KRUGER	K-282+ RR	62.7	9/25	1.5	32	58.4	63.8	65.9		
KRUGER	K-282-1 RR/SCN . .	60.0	9/20	1.9	37	61.4	59.1	59.5		
KRUGER	K-287 RR	55.0	9/17	1.3	31	55.1	56.5	53.3	60.6	
KRUGER	K-288 RR/SCN	62.2	9/18	1.6	35	64.1	60.6	62.0		
KRUGER	K-288+ RR/SCN . . .	61.4	9/18	1.6	34	63.3	63.6	57.3		
KRUGER	K-292 RR	56.9	9/17	1.6	33	55.0	58.5	57.2		
KRUGER	K-303 RR/SCN	56.7	9/24	1.4	32	54.2	57.7	58.1		
MARTIN	M-328 NRR	63.6	9/22	1.5	35	64.6	58.8	67.2	57.9	59.2
MERSCHMAN	CHEROKEE XRR	57.5	9/25	1.5	32	56.8	56.3	59.4	58.4	60.5
STINE	S 2802-4	59.4	9/23	1.5	32	60.0	57.7	60.5		
STINE	S 2842-4	63.7	9/22	1.5	35	65.7	59.9	65.6		
UAP	DG 3270 RR	53.6	9/21	2.2	38	53.6	48.8	58.5		
UAP	DG 3286 RR	52.4	9/22	1.7	31	47.7	57.0	52.4		
UAP	DG 3287 RR	56.2	9/24	1.3	32	51.5	57.2	59.8	58.1	
UAP	DG 3292 NRR	57.8	9/22	1.4	32	57.1	55.4	60.8		
UAP	DG X 429 RR	62.6	9/19	1.7	35	62.8	60.9	64.3		
UAP	DG X 430 RR	56.0	9/20	1.4	31	52.5	58.0	57.5		
WILKEN	2663 RR	57.6	9/19	1.8	35	55.8	58.2	59.0		
WILKEN	2691 NRR	59.7	9/25	1.6	33	57.3	60.6	61.3		
WILKEN	WE 881 NRR	55.7	9/24	1.3	31	51.8	59.5	55.8	58.1	
WILKEN	WE 966 NRR	63.4	9/20	1.6	33	64.0	59.8	66.4		
WILKEN	WE 983 NRR	58.4	9/18	1.6	35	57.0	61.1	57.0		
AVERAGE		57.8	9/21	1.6	34	56.2	58.1	59.0	58.1	59.9
L.S.D. 25% LEVEL		2.7		0.2	1	2.6	6.1	3.6		
COEFF. OF VAR. (%)		8.6		18.9	6	4.9	6.4	6.4		

MATURITY GROUP 3

ADLER	364 RR	60.4	9/28	1.5	34	60.9	60.4	59.9		
ASGROW	AG 3201	63.4	9/24	1.7	36	68.4	63.2	58.6	63.4	63.0
ASGROW	AG 3401	61.9	9/29	1.7	39	61.6	61.2	63.0		
ASGROW	AG 3702	61.9	9/28	1.4	34	59.4	61.9	64.3		
ASGROW	AG 3903	63.2	10/1	1.8	40	65.4	61.5	62.6	64.5	
BECK'S	323 RR	64.5	9/21	1.6	34	65.9	65.7	61.9	63.8	63.4
BECK'S	336 NRR	62.3	9/24	1.9	37	66.2	63.8	56.9	62.4	61.5
BECK'S	355 RR	59.3	9/26	1.4	32	60.1	61.0	56.8		
BECK'S	367 NRR	64.1	9/29	1.4	33	62.5	67.0	62.7	65.1	
DAIRYLAND	DSR-301 RR	64.4	9/27	1.7	39	63.8	63.1	66.2	62.3	
DAIRYLAND	DSR-320 RR	58.7	9/25	1.5	32	56.6	60.2	59.3		
DAIRYLAND	DSR-327 RR	60.2	9/27	1.6	40	60.2	61.1	59.3	60.0	59.7

2002 Soybean Test Results
Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY	Regional Results				Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3yr Avg Yield bu/a
		Yield bu/a	Maturity Date	Lodging	Height in					
DAIRYLAND	DSR-340 RR	61.3	9/29	1.7	38	63.0	59.7	61.2	60.8	
DAIRYLAND	DSR-357 RR	61.3	9/29	1.7	38	60.9	61.8	61.3	61.7	59.5
DAIRYLAND	DSR-363 RR	64.5	9/30	1.5	37	66.2	60.2	67.2	62.9	61.1
DAIRYLAND	DSR-375 RR	57.1	9/28	1.5	40	58.5	54.6	58.1	59.6	
DAIRYLAND	DST 3220 RR	63.8	9/26	1.5	37	64.6	64.3	62.3		
DEKALB	DKB 31-51	66.5	9/20	1.6	34	67.0	65.2	67.3	64.5	63.5
DEKALB	DKB 31-52	62.6	9/28	1.6	37	59.8	64.2	63.6		
DEKALB	DKB 36-51	63.1	10/1	1.6	39	67.0	60.3	62.1		
DEKALB	DKB 38-52	72.8	10/1	1.5	36	75.0	72.2	71.1	70.9	
EXCEL	8334 NRR	63.0	10/3	1.6	39	65.6	59.7	63.6	62.6	
EXCEL	8360 RR	61.1	9/30	1.6	39	62.1	59.7	61.5	61.5	
EXCEL	8378 NRR	62.7	9/27	1.4	36	64.0	63.1	61.1		
EXCEL	8384 NRR	57.5	9/28	1.5	40	59.6	56.0	56.7	58.9	
EXCEL	8385 RR	59.4	9/29	1.7	39	62.2	62.3	53.8		
EXCEL	8393 NRR	63.7	10/1	1.5	36	61.3	64.4	65.3		
FS HISOY	HS 3105	58.7	9/29	1.4	33	57.1	60.8	58.1	59.6	
FS HISOY	HS 3306	64.8	9/25	1.8	38	66.5	65.0	62.8	64.3	
FS HISOY	HS 3616	66.5	9/28	1.5	34	64.6	66.6	68.4	65.6	
FS HISOY	HS 3706	63.9	9/28	1.5	38	66.9	62.1	62.7	62.1	60.8
FS HISOY	HS 3916	71.5	10/1	1.5	36	76.6	67.9	70.0	70.3	
FS HISOY	RT 3585	64.0	9/28	1.5	37	62.3	64.7	65.1	63.2	60.5
FS HISOY	X 3226	62.7	9/26	1.7	37	61.9	67.4	58.8		
FS HISOY	X 3425	58.5	9/26	1.4	33	56.9	60.3	58.5		
FS HISOY	X 3526	65.2	9/26	1.4	35	65.6	65.8	64.2		
FS HISOY	X 3726	72.4	10/1	1.5	37	70.7	71.9	74.8		
GARST	3135 RR	60.6	9/25	1.6	35	58.7	61.2	61.8		
GARST	3212 RR/N	64.0	9/24	1.7	39	65.8	63.0	63.2		
GARST	3712 RR/N	63.3	9/28	1.4	33	67.3	65.2	57.5		
GMA	SVI 3537	59.1	9/25	2.1	37	58.5	58.4	60.3		
GOLDEN HARVEST	H 3135 RR	61.0	9/25	1.5	35	59.3	61.0	62.7	60.8	
GOLDEN HARVEST	H 3383 RR	63.9	9/30	1.7	37	65.4	63.6	62.7	63.6	
GOLDEN HARVEST	H 3505 RR	59.4	10/2	1.5	36	58.6	59.0	60.4	59.7	56.7
GOLDEN HARVEST	H 3631 RR	64.6	9/29	1.5	33	62.8	67.4	63.6		
GOLDEN HARVEST	H 3643 RR	65.6	10/1	2.2	38	65.8	65.1	65.8		
GOLDEN HARVEST	H 3734 RR	58.9	9/29	1.5	40	59.4	60.2	57.0	60.0	
GOLDEN HARVEST	H 3945 RR	70.8	9/30	1.5	35	76.4	67.2	68.7		
GOLDEN HARVEST	H 3983 RR	62.5	10/1	1.5	34	60.4	64.7	62.2	63.8	60.9
GREAT LAKES	GL 3007 RR	57.9	9/22	1.5	34	57.9	58.1	57.6		
GREAT LAKES	GL 3209 RR	63.5	9/25	1.7	35	63.6	66.7	60.2		
HORIZON	H 328 NRR	67.7	9/27	1.5	34	66.8	67.9	68.6	61.5	
HORIZON	H 332 NRR	60.7	9/29	1.5	36	62.8	61.0	58.5		
HORIZON	H 341 RR	58.8	9/29	1.4	33	59.7	58.6	57.9	59.8	58.4
HORIZON	H 345 RR	57.8	9/25	1.5	34	55.9	57.1	60.3		
HORIZON	H 357 NRR	67.3	9/29	1.6	34	68.0	65.6	68.3		
HORIZON	H 369 NRR	63.7	9/27	1.6	37	68.6	56.9	65.7	63.0	61.5
HORIZON	H 379 RR	59.1	9/28	1.3	33	55.9	61.0	60.5	62.0	59.7
HORIZON	H 394 NRR	62.2	10/3	1.6	40	63.5	63.1	60.1		
KRUGER	EX 325 RR	55.5	9/29	1.5	36	54.3	56.8	55.4		
KRUGER	EX 343 RR	56.7	9/25	2.1	41	54.7	58.5	56.7		
KRUGER	EX 389 RR/SCN . . .	70.2	9/30	1.6	36	70.0	68.4	72.2		
KRUGER	EX 389+ RR/SCN . .	70.1	10/3	1.5	35	72.0	70.6	67.9		
KRUGER	K-311+ RR	58.0	9/25	1.7	33	55.5	60.1	58.4		
KRUGER	K-323 RR/SCN	62.8	9/30	1.7	36	63.4	61.7	63.3		
KRUGER	K-330 RR/SCN	66.0	9/23	1.9	37	67.4	67.9	62.9	64.7	62.6
KRUGER	K-333 RR	60.6	9/25	1.6	34	59.1	60.8	61.8		
KRUGER	K-340 RR/SCN	61.3	9/23	1.5	34	62.5	57.1	64.5		

2002 Soybean Test Results
Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY	Regional Results				Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3yr Avg Yield bu/a
		Yield bu/a	Maturity Date	Lodging	Height in					
KRUGER	K-344 RR/SCN	61.9	9/24	1.5	36	61.0	60.4	64.2		
KRUGER	K-349 RR	64.9	9/21	1.6	34	66.5	67.4	60.8	63.5	63.5
KRUGER	K-353 RR	60.1	9/25	1.6	33	58.6	61.3	60.5	59.8	58.8
KRUGER	K-359 RR	60.9	9/27	1.6	32	60.2	62.0	60.6		
KRUGER	K-366 RR/SCN	64.4	9/28	1.5	34	62.5	64.8	65.9		
KRUGER	K-373+ RR	59.7	9/27	1.4	37	58.6	61.5	59.1		
KRUGER	K-377 RR/SCN	65.8	9/29	1.6	34	64.0	66.0	67.6	66.5	
KRUGER	K-377+ RR/SCN . . .	66.1	9/30	1.4	33	66.2	66.0	66.1	67.0	
KRUGER	K-380 RR/SCN	71.6	10/1	1.4	36	75.8	65.9	73.1	71.0	
KRUGER	K-383 RR	63.6	10/1	1.5	31	63.2	61.7	66.0		
KRUGER	K-383-3 RR/SCN . .	61.3	9/28	1.5	33	61.7	62.8	59.5	63.8	
KRUGER	K-388 RR/SCN	58.6	10/1	1.5	34	59.7	55.9	60.2	61.6	
KRUGER	K-401 RR/SCN	71.1	9/28	1.5	36	76.4	65.8	71.1	70.7	
LEWIS	3268 RR	62.7	9/28	1.6	36	61.9	61.5	64.6		
LEWIS	3409 RR	58.0	9/25	1.5	33	55.1	61.5	57.3		
LEWIS	3596 RR	62.6	9/28	1.5	37	62.2	59.3	66.3		
LEWIS	3677 RR	66.9	9/30	1.6	34	68.4	66.3	66.1	68.0	
LEWIS	3715 RR	68.5	9/29	1.5	36	70.3	68.5	66.8		
MARTIN	M-333 RR	61.8	9/27	1.5	32	57.4	68.1	60.0		
MARTIN	M-337 NRR	59.2	9/28	1.5	34	56.9	59.1	61.6		
MERSCHMAN	FILLMORE VRR . .	59.8	9/24	1.4	31	60.4	60.3	58.6	60.0	58.6
MERSCHMAN	HOOVER VRR	66.0	9/28	1.5	36	65.8	66.7	65.6		
MERSCHMAN	JEFFERSON IIIR . .	61.0	9/23	1.5	35	61.5	61.2	60.2	60.4	59.7
MERSCHMAN	KENNEDY VIRR . .	64.1	10/1	1.4	34	64.4	66.8	61.0	65.4	
MERSCHMAN	MONROE IIIR . . .	60.7	10/2	1.5	35	58.1	63.9	60.2	60.3	58.8
MERSCHMAN	TRUMAN RR	61.5	10/4	1.5	39	64.6	57.0	62.8		
MERSCHMAN	WASHINGTON 8RR	60.7	10/3	1.4	35	60.3	62.7	59.2	62.9	58.4
MIDWEST SEED GEN	GR 3931	71.0	9/30	1.4	36	74.4	66.4	72.3		
PIONEER	93B36	58.1	9/28	1.5	35	53.9	61.6	58.9		
PIONEER	93B67	65.6	9/29	1.6	40	65.7	66.4	64.6	65.4	
PIONEER	93B85	66.3	10/1	1.5	37	69.3	63.2	66.4	65.9	
PRAIRIE BRAND	PB-3621 RR	64.9	9/30	1.6	33	65.7	64.7	64.2	64.9	
PRAIRIE BRAND	PB-3921 NRR	72.6	9/29	1.5	36	76.2	68.2	73.4		
STINE	S 3402-4	66.3	9/28	1.5	35	66.9	63.6	68.5		
STINE	S 3632-4	62.9	9/28	1.5	33	63.9	63.4	61.5	64.1	
STINE	S 3982-4	67.7	10/4	1.8	38	69.6	62.4	71.1		
STONE	HC-2351 NRR	66.6	9/29	1.5	35	68.0	64.0	67.8	67.5	
STONE	HC-2372 NRR	60.4	9/26	1.5	39	69.1	50.0	62.2		
STRIKE	3702 RR	66.6	10/1	1.5	34	66.0	66.9	67.0		
TRISLER	TRISOY 3113 RR . .	58.6	9/23	1.5	34	57.7	59.5	58.7		
TRISLER	TRISOY 3222 RR . .	63.4	9/27	1.6	36	61.5	65.7	62.9		
TRISLER	TRISOY 3407 RR . .	60.7	9/27	1.4	34	57.9	58.6	65.5	61.5	59.2
TRISLER	TRISOY 3427 RR . .	60.6	9/24	1.5	35	57.9	62.2	61.8		
TRISLER	TRISOY 3507 RR . .	61.4	10/2	1.6	40	65.0	56.6	62.6		
TRISLER	TRISOY 3717 RR . .	64.9	10/2	1.4	33	64.0	66.6	64.1		
UAP	DG 3321 NRR	63.3	9/25	1.6	37	66.6	62.1	61.1		
UAP	DG 3323 RR	57.9	9/27	1.5	32	58.2	63.9	51.5	59.4	
UAP	DG 3343 RR	61.5	9/26	1.5	34	59.2	61.1	64.1		
UAP	DG 3353 RR	60.3	10/1	1.6	37	57.3	61.1	62.5	58.8	57.2
UAP	DG 3362 NRR	63.3	9/29	1.5	35	63.2	64.1	62.7	64.5	
UAP	DG 3370 RR	60.1	9/26	1.5	36	56.2	62.8	61.3	60.7	58.5
UAP	DG 3373 NRR	64.7	9/26	1.6	38	66.9	61.5	65.7	64.0	
UNITED SUPPLIERS	US S3303 RR	62.3	9/24	1.5	36	63.8	61.7	61.5		
UNITED SUPPLIERS	US S3703 RR	64.5	10/1	1.5	34	65.2	63.6	64.6		
VIGORO	V 32N3 RR	63.4	9/25	1.6	37	62.7	63.9	63.5		
VIGORO	V 352 NRR	62.5	9/30	1.5	39	63.9	60.0	63.7	63.0	61.8

2002 Soybean Test Results
Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY	Regional Results				Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3yr Avg Yield bu/a
		Yield bu/a	Maturity Date	Lodging	Height in					
VIGORO	V 363 NRR	65.0	9/29	1.5	34	63.3	66.3	65.5	65.5	
VIGORO	V 372 RR	61.1	9/29	1.5	37	61.2	63.8	58.4		
WILKEN	3403 RR	57.9	9/30	1.6	37	57.0	60.1	56.4	56.1	
WILKEN	3412 RR	58.4	9/26	1.4	33	57.5	56.4	61.2	60.0	
WILKEN	3419 NRR	64.6	9/22	1.7	37	65.3	63.2	65.3	64.4	
WILKEN	3461 NRR	65.1	9/29	1.4	33	66.3	62.8	66.3	66.1	
WILKEN	3464 RR	60.5	9/29	1.5	36	61.3	63.2	57.1	61.0	58.8
WILKEN	3471 NRR	65.8	9/29	1.5	39	66.0	64.0	67.4	63.4	61.6
WILKEN	3498 RR	61.7	10/2	1.5	34	59.6	62.7	62.8	64.1	61.7
WILKEN	3499 NRR	71.5	9/30	1.5	37	74.9	68.3	71.2	70.5	
WILKEN	WE 907 NRR	62.0	9/26	1.7	37	62.5	63.6	59.9		
WILKEN	WE 911 RR	57.9	9/24	1.5	32	54.9	62.8	56.1		
WILKEN	WE 984 NRR	63.2	9/27	1.6	37	63.9	61.8	63.8		
WILKEN	WE 985 RR	58.8	9/23	1.6	33	59.4	54.2	62.7		
WILKEN	WE 987 NRR	65.4	9/27	1.5	35	66.8	64.1	65.3		
WILKEN	WE 999 RR	55.3	9/20	1.4	33	50.5	57.3	58.1		
WILKEN	WX 101 RR	58.5	9/30	1.5	33	55.8	58.1	61.6		
WILKEN	WX 103 NRR	58.4	9/29	1.5	40	59.3	61.0	54.8		
WILLCROSS	RR 2373 N	68.4	9/26	1.5	35	73.8	67.1	64.3		
WILLCROSS	RR 2392 N	72.2	9/30	1.5	36	73.1	70.1	73.5	71.0	
AVERAGE		62.9	9/28	1.5	36	63.2	62.7	62.8	63.4	60.3
L.S.D. 25% LEVEL		2.6		0.1	1	2.4	3.3	3.9		
COEFF. OF VAR. (%)		7.7		14.3	6	4.0	5.5	6.7		

MATURITY GROUP 4

DAIRYLAND	DSR-401 RR	60.2	10/4	2.0	43	60.0	61.3	59.2	62.0	
EXCEL	8420 NRR	64.3	10/4	2.1	42	65.5	64.5	62.9		
EXCEL	8427 NRR	68.8	10/3	1.4	32	70.3	68.5	67.5		
PIONEER	94B13	66.7	10/3	1.6	39	69.3	62.8	68.0		
WILKEN	WX 123 RR	65.4	10/3	1.4	33	60.9	70.3	65.1		
WILLCROSS	RR 2423 N	69.4	10/3	1.5	34	71.9	67.2	69.0		
AVERAGE		65.8	10/3	1.7	37	66.3	65.8	65.3	62.0	
L.S.D. 25% LEVEL		2.9		0.2	1	1.3	1.5	1.2		
COEFF. OF VAR. (%)		7.7		22.4	5	3.4	3.9	3.3		

2002 Soybean Test Results
Region 4: Conventional (30-inch row spacing)

COMPANY	VARIETY	Yield bu/a	Regional Results			Belleville Yield bu/a	Brownstown Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
			Maturity Date	Lodging	Height in				
MATURITY GROUP 3									
FS HISOY	HS 3591	45.1	9/20	1.7	34	64.9	25.3	49.8	51.8
FS HISOY	HS 3892	45.1	9/23	1.5	33	63.6	26.6	51.2	53.7
GOLDEN HARVEST	H 1383	36.9	9/19	2.0	30	59.4	14.5	44.8	48.9
GOLDEN HARVEST	H 3777	45.0	9/22	1.7	33	65.3	24.7	52.3	
HELENA	HS 3612	35.7	9/20	1.9	29	60.0	11.4		
HELENA	HS 3773	44.9	9/21	1.9	31	65.8	23.9		
HELENA	HS 3973	41.2	9/20	1.7	35	62.1	20.3		
ILLINOIS PRIDE	ILP-3281 C	37.7	9/14	2.7	32	55.5	19.9	43.0	39.6
ILLINOIS PRIDE	MACON	42.6	9/22	1.9	32	65.4	19.8	46.6	50.1
ILLINOIS PRIDE	MAVERICK	40.5	9/19	2.4	39	62.7	18.3	47.7	51.9
KRUGER	K-3535	37.2	9/19	1.7	29	56.9	17.4		
KRUGER	K-3711	42.3	9/21	1.5	27	67.4	17.2	49.9	
KRUGER	K-3777 SCN	44.6	9/22	1.7	31	64.8	24.3	51.5	54.6
LEWIS	372	44.9	9/22	1.6	32	63.4	26.4	52.3	55.6
PUBLIC VARIETY	IA 3005	40.4	9/18	2.0	31	62.6	18.2	47.1	47.6
PUBLIC VARIETY	LINFORD	40.4	9/19	2.3	38	59.3	21.4	43.5	45.1
PUBLIC VARIETY	PANA	39.6	9/18	2.5	39	62.7	16.6	44.0	46.6
PUBLIC VARIETY	WILLIAMS 82	31.8	9/19	1.9	35	48.3	15.4	35.2	39.1
PUBLIC VARIETY	YALE	37.8	9/18	1.9	35	60.6	15.0	42.6	43.9
AVERAGE		40.6	9/20	1.9	33	61.6	19.6	46.7	48.3
L.S.D. 25% LEVEL		3.9		0.4	2	4.3	2.8		
COEFF. OF VAR (%)		14.1		29.6	8	4.2	14.9		

MATURITY GROUP 4

BERGMANN-TAYLOR	BT 411 C	42.6	9/22	1.5	31	63.4	21.7	50.0	52.3
THOMPSON	T-444 SC	41.7	9/24	1.9	34	62.6	20.7		
FS HISOY	X 4421	39.0	9/24	1.6	32	61.3	16.8		
GOLDEN HARVEST	H 4459 STS	34.7	9/25	1.7	33	58.5	10.9	43.9	50.6
HELENA	HS 4273	39.6	9/22	1.4	29	62.6	16.7		
ILLINOIS PRIDE	INA	36.4	9/21	2.3	36	59.3	13.5	45.0	48.4
ILLINOIS PRIDE	REND	32.6	9/17	1.9	34	58.0	7.2	44.2	49.4
MILES	SC AARON	36.4	9/24	1.8	34	57.9	15.0		
AVERAGE		37.9	9/22	1.8	33	60.5	15.3	45.8	50.2
L.S.D. 25% LEVEL		2.7		0.5	2	1.5	3.1		
COEFF. OF VAR (%)		10.0		39.7	8	4.5	35.6		

2002 Soybean Test Results
Region 4: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY	Regional Results				Belleville	Brownstown	2 yr	3 yr
		Yield	Maturity	Lodging	Height	Yield	Yield	Avg	Avg
		bu/a	Date		in	bu/a	bu/a	Yield	Yield
								bu/a	bu/a
MATURITY GROUP 3									
ADLER	374 RRN	40.4	9/21	1.6	29	59.6	21.2		
AGVENTURE	6381 NRR	41.6	9/22	1.7	33	63.1	20.2		
ASGROW	AG 3903	36.4	9/22	1.5	32	56.8	15.9	46.5	
BAKER	3735 CRR	37.4	9/23	1.5	27	57.5	17.3		
BECK'S	417 NRR	40.4	9/22	1.6	32	60.4	20.4	49.3	
BERGMANN-TAYLOR	BT 362 CR	35.3	9/22	1.6	27	51.2	19.4	44.8	
BERGMANN-TAYLOR	BT 371 CR	43.1	9/22	1.7	30	58.5	27.7	49.6	53.3
BERGMANN-TAYLOR	BT 383 CR	40.7	9/21	1.5	29	61.2	20.3		
BERGMANN-TAYLOR	BT 392 CR	41.8	9/25	1.8	32	60.6	23.0	46.7	
DEKALB	DKB 38-52	43.4	9/22	1.4	28	61.0	25.7	51.3	
DELTA KING	3862 RR	37.9	9/21	1.6	31	55.8	20.1	45.6	
DELTA KING	3961 RR	39.6	9/22	1.5	32	56.3	22.9	45.8	
DELTA KING	3964 RR	38.8	9/20	1.7	34	57.4	20.2	44.3	
DELTA KING	3968 RR	43.3	9/25	1.6	27	60.4	26.3	52.1	
DELTA KING	XTJ 033 RR	38.9	9/20	1.5	27	59.2	18.5		
EXCEL	8378 NRR	43.0	9/23	1.5	29	62.1	24.0		
EXCEL	8384 NRR	41.2	9/21	1.8	34	58.0	24.4	46.2	
EXCEL	8393 NRR	41.3	9/22	1.7	29	62.0	20.6		
FS HISOY	HS 3616	39.2	9/23	1.5	27	58.0	20.5	46.0	
FS HISOY	HS 3706	42.4	9/22	1.6	30	58.1	26.6	47.4	50.8
FS HISOY	HS 3916	43.4	9/24	1.4	27	61.1	25.7	52.3	
FS HISOY	X 3726	40.0	9/19	1.7	28	58.9	21.2		
GARST	3712 RR/N	36.5	9/23	1.6	27	56.0	17.0		
GOLDEN HARVEST	H 3383 RR	34.8	9/21	1.7	29	55.9	13.7		
GOLDEN HARVEST	H 3643 RR	41.9	9/20	1.7	30	62.4	21.4		
GOLDEN HARVEST	H 3945 RR	43.9	9/21	1.4	28	63.0	24.8		
GOLDEN HARVEST	H 3960 RR	38.5	9/21	1.6	31	54.9	22.0	46.9	50.4
GREAT LAKES	GL 3819 RR	43.3	9/25	1.6	28	61.9	24.7		
HOBLIT	HB 364 NRR	37.8	9/24	1.4	27	54.9	20.7		
HORIZON	H 357 NRR	37.6	9/22	1.5	27	57.1	18.0		
HORIZON	H 394 NRR	38.0	9/21	1.7	33	56.7	19.2		
KITCHEN	KSC 3706 CRR	44.4	9/21	1.5	30	60.2	28.6	49.2	
KITCHEN	KSC 3736 CRR	39.7	9/22	1.7	29	60.1	19.4		
KITCHEN	KSC 3926 CRR	37.4	9/22	1.7	32	56.9	17.9	46.7	
KRUGER	EX 389 RR/SCN ...	40.2	9/23	1.5	29	58.1	22.4		
KRUGER	EX 389+ RR/SCN ..	41.9	9/22	1.7	28	63.6	20.1		
KRUGER	K-373+ RR	36.5	9/19	1.5	27	56.7	16.3	43.5	50.2
KRUGER	K-377 RR/SCN	39.6	9/22	1.7	28	61.2	18.1	44.9	
KRUGER	K-377+ RR/SCN ...	37.2	9/24	1.5	27	56.9	17.5	44.6	
KRUGER	K-380 RR/SCN	41.1	9/21	1.5	28	57.7	24.6		
KRUGER	K-383-3 RR/SCN ..	33.6	9/21	1.5	28	53.3	13.8	46.5	
KRUGER	K-388 RR/SCN	36.1	9/18	1.6	29	57.6	14.7	41.5	
KRUGER	K-401 RR/SCN	43.6	9/21	1.5	27	61.8	25.3	52.3	
LEWIS	3715 RR	42.5	9/22	1.8	28	63.6	21.5		
MERSCHMAN	KENNEDY VIRR ..	37.1	9/22	1.6	28	55.4	18.8		
MERSCHMAN	ROOSEVELT IIIR ..	44.6	9/26	1.7	34	65.3	24.0	53.0	
MERSCHMAN	WASHINGTON 8RR ..	39.6	9/19	1.5	27	58.9	20.3		
MIDWEST SEED GEN	GR 3931	43.1	9/21	1.4	27	62.5	23.7	51.8	
MILES	SC JORDAN	38.0	9/22	1.6	28	57.6	18.5		
MILES	SC SOLOMON	38.7	9/20	1.7	32	56.5	21.0		
PIONEER	93B67	41.9	9/20	1.6	33	63.4	20.4	48.2	
PIONEER	93B85	41.6	9/25	1.7	30	63.4	19.9		
STINE	S 3632-4	37.1	9/24	1.4	28	56.6	17.5	45.8	
THOMPSON	T-3737 RR/N	40.1	9/20	1.6	30	60.5	19.7		
THOMPSON	T-3909 RR/N	40.4	9/22	1.5	30	63.2	17.6		

2002 Soybean Test Results
Region 4: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY	Regional Results				Belleville	Brownstown	2 yr	3 yr
		Yield	Maturity	Lodging	Height	Yield	Yield	Avg	Avg
		bu/a	Date		in	bu/a	bu/a	Yield	Yield
THOMPSON	T-3929 RR/N	40.8	9/22	1.7	29	61.7	19.9		
THOMPSON	T-3999 RR/N	43.6	9/22	1.6	28	61.4	25.9		
TRISLER	TRISOY 3911 RR	37.4	9/22	1.7	32	55.7	19.0		
UAP	DG 3390 NRR	43.1	9/22	1.5	29	60.5	25.7	51.2	
UAP	DG 3399+ RR	40.6	9/20	1.5	28	61.6	19.5	43.8	
UNITED SUPPLIERS	US S3703 RR	38.6	9/25	1.7	27	57.1	20.2		
VIGORO	V 363 NRR	38.6	9/22	1.6	27	58.6	18.5		
VIGORO	V 393 NRR	37.1	9/22	1.6	33	56.3	17.9	45.8	
WILLCROSS	RR 2373 N	39.0	9/23	1.5	29	57.8	20.2		
WILLCROSS	RR 2392 N	42.0	9/22	1.5	28	60.6	23.5		
AVERAGE		39.9	9/22	1.6	29	59.1	20.7	47.4	51.2
L.S.D. 25% LEVEL		2.8		0.2	2	3.0	1.7		
COEFF. OF VAR (%)		10.4		16.6	8	5.3	8.6		

MATURITY GROUP 4

AGVENTURE	6441 NRR	39.4	9/24	1.5	35	59.0	19.8		
ASGROW	AG 4201	39.8	9/22	1.6	32	61.2	18.4		
ASGROW	AG 4403	42.0	9/28	1.4	34	63.0	20.9	48.0	53.5
ASGROW	AG 4603	42.2	9/23	1.7	34	63.7	20.7		
BAKER	4135 CRR	40.2	9/22	1.3	28	59.6	20.8		
BAKER	4425 CRR	42.5	9/29	1.5	33	63.7	21.3	49.6	
BAKER	4825 CRR	39.6	9/26	1.8	38	60.3	19.0	50.1	
BECK'S	437 NRR	42.7	9/27	1.7	34	63.6	21.7	51.5	
BERGMANN-TAYLOR	BT 402 CR	38.4	9/23	1.4	35	58.5	18.2	48.1	
BERGMANN-TAYLOR	BT 423 CRS	41.6	9/25	1.4	30	65.8	17.4		
BERGMANN-TAYLOR	BT 441 CR	42.3	9/24	1.5	34	63.5	21.2	49.4	55.3
BERGMANN-TAYLOR	BT 480 R	37.9	9/29	2.0	38	58.4	17.5	44.6	49.9
BIO GENE	BG 4200 NRS	42.5	9/27	1.7	29	66.1	19.0		
DEKALB	CX 480 CRR	40.5	9/30	1.7	37	61.1	19.9		
DEKALB	DKB 40-51	42.6	9/22	1.6	32	61.1	24.2	49.9	
DEKALB	DKB 44-51	40.9	9/28	1.5	33	60.1	21.7	49.7	55.7
DELTA KING	4461 RR	44.3	9/25	1.8	35	67.3	21.3	52.1	
DELTA KING	4762 RR	42.2	10/2	1.8	43	58.8	25.6	46.5	
DELTA KING	4763 RR	45.7	9/24	1.8	34	65.4	26.0	54.7	
DELTA KING	4868 RR	40.9	9/29	1.4	34	59.9	21.9	49.1	
DELTA KING	4965 RR	43.2	10/2	1.8	33	61.9	24.5	49.5	
DELTA KING	XTJ 040 RR	37.6	9/22	1.5	35	58.9	16.3		
DELTA KING	XTJ 041 RR	43.4	9/25	1.4	30	65.7	21.2		
EXCEL	8404 NRR	38.8	9/20	1.7	36	59.1	18.5	46.1	
EXCEL	8448 NRR	41.3	9/25	1.6	30	61.9	20.7		
EXCEL	8462 RR	40.9	9/23	1.8	35	58.1	23.8		
FS HISOY	HS 4316	40.7	9/25	1.4	30	63.5	18.0	48.4	
FS HISOY	HS 4516	41.1	9/26	1.6	33	62.8	19.5	50.4	
FS HISOY	RT 4495	39.0	9/26	2.2	35	54.9	23.2	48.9	52.1
FS HISOY	RT 4895	40.9	9/30	1.9	37	62.3	19.4		
FS HISOY	X 4026	46.8	9/22	1.8	34	68.4	25.2		
FS HISOY	X 4028	40.4	9/23	1.5	29	62.7	18.2		
FS HISOY	X 4228	42.6	9/26	1.4	30	67.7	17.6		
FS HISOY	X 4626	39.1	9/25	1.4	32	59.2	18.9		
FS HISOY	X 4826	41.7	9/26	1.8	35	65.0	18.4		
GARST	4512 RR/N	40.9	9/28	1.6	33	60.7	21.1	48.5	
GARST	D 484 RR/N	42.6	9/27	1.8	37	63.5	21.8	50.1	54.3
GATEWAY	4R445	39.9	9/28	1.6	34	59.5	20.4	48.9	
GATEWAY	4R483	41.2	9/30	1.7	37	63.3	19.1	49.7	53.1
GOLDEN HARVEST	H 4534 RR	41.5	9/24	1.3	33	62.7	20.3	49.2	

2002 Soybean Test Results
Region 4: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY	Yield bu/a	Regional Results			Belleville Yield bu/a	Brownstown Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
			Maturity Date	Lodging	Height in				
GOLDEN HARVEST	H 4772 RR	43.5	9/24	1.6	34	63.4	23.6		
GOLDEN HARVEST	H 4850 RR	40.5	9/26	1.9	38	62.2	18.8	50.4	
GOLDEN HARVEST	X 24368 RR	38.8	9/27	1.4	29	60.2	17.5		
HORIZON	H 415 NRR	44.7	9/25	1.4	33	64.5	24.9		
HORIZON	H 424 NRR	41.6	9/20	1.4	30	65.1	18.2		
HORIZON	H 444 NRR	40.6	9/24	1.6	33	61.4	19.7		
HORIZON	H 481 NRR	39.3	9/26	1.7	37	61.1	17.5		
KITCHEN	KSC 4226 CRR	41.7	9/24	1.6	34	63.9	19.4	50.1	
KRUGER	EX 410 RR/SCN ...	43.0	9/22	1.5	29	64.5	21.4		
KRUGER	EX 464 RR/SCN ...	39.0	9/29	1.5	32	58.3	19.6		
KRUGER	EX 477 RR/SCN ...	43.6	9/26	1.8	35	63.6	23.6		
KRUGER	EX 484 RR/SCN ...	41.6	9/26	1.7	36	64.5	18.6		
KRUGER	K-410A RR/SCN ..	39.0	9/22	1.6	30	59.1	18.8		
KRUGER	K-422 RR	42.6	9/26	1.9	30	65.0	20.2		
KRUGER	K-424 RR/SCN	40.7	9/22	1.4	30	62.1	19.3		
KRUGER	K-430 RR/SCN	44.4	9/22	1.3	30	66.5	22.3		
KRUGER	K-443 RR/SCN	38.9	9/25	1.5	29	60.8	16.9	48.9	
KRUGER	K-443-3 RR/SCN ..	42.8	9/26	1.4	33	63.5	22.0	49.5	
LEWIS	4005 RR	39.7	9/23	1.6	35	59.7	19.7		
LEWIS	4259 RR	42.0	9/22	1.6	31	66.6	17.5		
M & D SEED	9470 RR	41.8	9/28	1.7	36	60.5	23.1		
MERSCHMAN	AUSTIN RR	42.2	9/22	1.3	30	65.1	19.2		
MERSCHMAN	DALLAS RR	42.8	9/28	1.8	36	65.4	20.3		
MERSCHMAN	DENVER RRSTS ..	42.4	9/25	2.0	37	63.7	21.0	49.2	54.0
MERSCHMAN	HOUSTON 6RRSTS	42.5	9/24	1.5	29	65.4	19.6	50.5	
MERSCHMAN	PHOENIX IIIRR ...	42.2	9/28	1.5	29	63.6	20.8		
MILES	SC SILAS	40.5	9/25	1.3	33	60.0	21.0		
MILES	SC TITUS	41.4	9/26	1.8	39	62.9	20.0	50.9	
PIONEER	94B13	39.1	9/21	1.8	33	59.3	18.9		
PIONEER	94B54	39.8	9/24	1.7	36	61.8	17.9		
STEYER	4410 RRSCN	41.4	9/28	1.5	34	61.7	21.1	48.3	
STEYER	4700 RRSTSSCN ..	40.9	9/22	1.6	34	60.6	21.1		
STINE	S 4202-4	42.2	9/25	1.5	31	65.1	19.3	50.2	
STINE	S 4882-4	41.3	9/29	1.8	34	63.9	18.6		
STONE	HC-2441 NRR	42.9	9/30	1.7	35	65.1	20.7	50.4	
THOMPSON	T-4212 RR/N	39.5	9/27	1.5	30	59.6	19.3		
THOMPSON	T-4333 RR/N	39.9	9/22	1.4	31	60.7	19.2		
THOMPSON	T-4444 RR/N	41.1	9/24	1.7	34	62.8	19.4		
THOMPSON	T-4777 RR/N	41.0	9/25	1.9	35	64.0	18.1		
THOMPSON	T-4848 RR/N	43.5	9/28	1.5	33	64.0	23.1		
TRISLER	TRISOY 4227 RR ..	42.5	9/30	1.6	29	67.0	17.9		
TRISLER	TRISOY 4314 RR ..	41.3	9/29	1.6	34	62.6	19.9		
UAP	DG 3437 NRR	40.1	9/22	1.5	29	62.5	17.7	47.3	
UAP	DG 3443 NRR	42.7	9/26	1.6	35	63.2	22.1	49.5	
UAP	DG 3484 NRR	41.4	9/26	1.8	36	62.5	20.4	50.4	
UNITED SUPPLIERS	US S4002 RR	43.2	9/25	1.8	35	61.5	24.9	47.5	
UNITED SUPPLIERS	US S4402 RR	42.7	9/27	1.7	35	64.0	21.4	50.0	
VIGORO	V 40N3 RR	38.6	9/27	1.3	29	60.1	17.2		
VIGORO	V 42N3 RR	43.0	9/25	1.6	33	66.8	19.2		
VIGORO	V 46N3 RR	39.5	9/24	1.5	32	58.6	20.4		
WILLCROSS	RR 2423 N	40.4	9/25	1.3	30	65.7	15.1		
WILLCROSS	RR 2432 N	41.9	9/26	1.6	34	62.7	21.2		
AVERAGE		41.4	9/25	1.6	33	62.5	20.4	49.3	53.5
L.S.D. 25% LEVEL		2.8		0.3	2	2.3	2.1		
COEFF. OF VAR (%)		10.1		26.8	9	3.9	10.9		

2002 Soybean Test Results
Region 5: Conventional (30-inch row spacing)

Region 3: Conventional (60 inch row spacing)						Dixon Springs	2 yr Avg	3 yr Avg
COMPANY	VARIETY	Yield bu/a	Maturity Date	Lodging Height in	Carbondale Yield bu/a	Yield bu/a	Yield bu/a	Yield bu/a
MATURITY GROUP 3								
ILLINOIS PRIDE	ILP-3281 C	28.7	9/17	1.8	28	24.8	32.7	33.5
ILLINOIS PRIDE	MACON	30.7	9/22	1.1	28	27.6	33.9	39.4
ILLINOIS PRIDE	MAVERICK	36.8	9/20	1.8	34	26.2	47.5	44.1
PUBLIC VARIETY	IA 3005	21.8	9/20	2.1	27	18.2	25.5	31.6
PUBLIC VARIETY	LINFORD	33.3	9/21	2.5	31	22.0	44.7	35.9
PUBLIC VARIETY	PANA	31.9	9/20	2.2	33	21.3	42.4	39.0
PUBLIC VARIETY	WILLIAMS 82	28.4	9/21	1.4	35	24.1	32.6	36.6
PUBLIC VARIETY	YALE	35.4	9/21	1.4	32	24.9	45.9	38.9
AVERAGE		30.9	9/20	1.8	31	23.6	38.1	37.3
L.S.D. 25% LEVEL		6.7		0.7	3	1.5	3.2	
COEFF. OF VAR (%)		29.8		55.4	11	11.4	14.9	
MATURITY GROUP 4								
DELTA & PINE LAND	DP 4748 S	43.6	10/3	2.7	39	39.3	47.8	47.7
THOMPSON	T-494 SC	38.4	9/30	2.7	37	32.8	44.1	
FS HISOY	X 4421	46.7	9/30	2.2	34	33.9	59.4	
GATEWAY	427	38.1	9/28	1.5	28	28.1	48.1	44.1
GATEWAY	471	45.4	10/2	2.6	39	35.0	55.9	49.1
ILLINOIS PRIDE	INA	38.1	9/29	2.7	36	33.9	42.3	41.0
ILLINOIS PRIDE	REND	33.9	9/26	2.4	32	27.4	40.4	35.5
MILES	SC AARON	33.0	9/28	1.8	32	35.4	30.7	42.6
AVERAGE		39.6	9/29	2.3	35	33.2	46.1	42.2
L.S.D. 25% LEVEL		8.4		0.6	2	2.0	3.0	
COEFF. OF VAR (%)		29.2		35.8	10	10.8	11.5	45.7

2002 Soybean Test Results
Region 5: Roundup Resistant (30-inch row spacing)

Region of Roundup Resistant (60 inch row spacing)									
COMPANY	VARIETY	Yield bu/a	Regional Results			Carbondale Yield bu/a	Dixon Springs Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
			Maturity Date	Lodging	Height in				
MATURITY GROUP 3									
ADLER	390 RRN	41.5	9/22	1.6	37	30.2	52.9		
DEKALB	DKB 38-52	39.8	9/21	1.8	33	21.2	58.3	50.0	
DELTA KING	3862 RR	42.0	9/21	1.3	36	32.2	51.7	47.1	
DELTA KING	3961 RR	38.9	9/21	1.8	36	28.7	49.1	46.9	
DELTA KING	3964 RR	39.2	9/19	1.8	38	29.7	48.7	47.4	
DELTA KING	3968 RR	41.2	9/22	1.6	31	26.9	55.6	51.3	
DELTA KING	XTJ 033 RR	33.7	9/19	1.4	29	26.6	40.8		
EXCEL	8393 NRR	38.8	9/23	1.3	32	31.0	46.6		
GARST	3712 RR/N	33.0	9/25	1.2	27	27.7	38.2		
KRUGER	EX 389 RR/SCN . . .	46.4	9/23	1.8	33	31.5	61.3		
KRUGER	EX 389+ RR/SCN . .	43.1	9/21	1.9	32	25.9	60.2		
KRUGER	K-373+ RR	29.9	9/21	1.2	29	22.3	37.6	41.6	44.4
KRUGER	K-377+ RR/SCN . . .	36.2	9/26	1.1	29	31.3	41.2	45.9	
KRUGER	K-380 RR/SCN	43.7	9/21	1.6	31	25.4	62.0	52.4	
KRUGER	K-383-3 RR/SCN . .	38.7	9/21	1.4	30	23.4	54.0	50.5	
KRUGER	K-388 RR/SCN	35.9	9/21	1.4	30	26.7	45.1	43.4	
KRUGER	K-401 RR/SCN	42.5	9/23	1.5	31	26.9	58.2	49.9	
MILES	SC JORDAN	34.5	9/26	1.2	29	28.8	40.2		
MILES	SC SOLOMON	35.0	9/20	1.5	34	29.4	40.5		
SOUTHERN STATES	RT 3702	37.0	9/22	1.8	34	24.9	49.0		
SOUTHERN STATES	RT 3799 N	38.5	9/21	1.9	35	22.0	55.1	47.0	48.5
SOUTHERN STATES	RT 3802 N	38.1	9/19	1.8	36	24.5	51.7		
SOUTHERN STATES	RT 3975	35.3	9/20	2.2	35	26.1	44.5	45.3	46.5
THOMPSON	T-3737 RR/N	43.0	9/21	1.8	30	29.7	56.2		
THOMPSON	T-3909 RR/N	45.9	9/26	1.5	31	27.4	64.5		
THOMPSON	T-3999 RR/N	40.5	9/25	1.9	34	19.1	61.8		
TRISLER	TRISOY 3911 RR . .	37.9	9/23	1.4	37	28.6	47.2		
TRISLER	TRISOY 3917 RR . .	40.5	9/23	1.7	36	29.6	51.4	48.6	
AVERAGE		39.0	9/22	1.6	33	27.1	50.8	47.6	46.5
L.S.D. 25% LEVEL		7.7		0.5	4	4.5	4.3		
COEFF. OF VAR (%)		29.1		42.7	16	17.6	8.9		

MATURITY GROUP 4

ASGROW	AG 4201	41.5	10/1	2.6	36	23.6	59.3		
ASGROW	AG 4403	43.5	10/1	2.2	39	38.2	48.7	49.0	51.3
ASGROW	AG 4603	42.1	10/1	2.0	36	33.9	50.2		
BAKER	4425 CRR	41.1	9/30	2.3	37	37.8	44.5	47.2	
BAKER	4135 CRR	45.0	10/1	1.7	32	27.5	62.5		
BECK'S	437 NRR	39.1	9/29	1.8	36	30.0	48.1	47.1	
BIO GENE	BG 4401 NRR	40.4	10/1	2.1	37	29.2	51.5		
CROW'S	C 4417 R	40.2	9/30	2.1	36	32.6	47.8		
DEKALB	CX 480 CRR	41.0	10/2	2.5	41	31.9	50.0		
DEKALB	DKB 40-51	44.2	9/30	2.1	37	32.7	55.6	48.8	
DEKALB	DKB 44-51	39.7	9/30	2.1	37	29.3	50.1	47.5	51.1
DELTA & PINE LAND	DP 4344 RR	36.9	9/30	2.7	41	30.9	43.0	39.7	
DELTA & PINE LAND	DP 4690 RR	40.2	9/30	2.4	42	34.7	45.6	45.3	46.4
DELTA KING	4461 RR	38.1	9/29	2.1	39	29.2	47.0	47.4	
DELTA KING	4762 RR	41.0	10/5	2.7	48	37.6	44.4	38.6	
DELTA KING	4763 RR	44.1	10/1	2.5	37	32.9	55.4	51.9	
DELTA KING	4868 RR	40.3	9/30	2.0	36	35.0	45.7	49.4	
DELTA KING	4965 RR	40.6	10/1	2.7	37	34.9	46.2	45.4	
DELTA KING	XTJ 040 RR	38.7	9/28	2.3	37	30.2	47.2		

2002 Soybean Test Results
Region 5: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY	Yield bu/a	Regional Results			Carbondale Yield bu/a	Dixon Springs Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
			Maturity Date	Lodging	Height in				
DELTA KING	XTJ 041 RR	47.9	9/30	1.6	31	33.0	62.7		
EXCEL	8420 NRR	34.3	9/30	3.0	37	28.0	40.5		
EXCEL	8448 NRR	47.2	10/1	1.8	32	34.5	59.9		
EXCEL	8462 RR	41.0	10/1	2.4	38	37.1	45.0		
EXCEL	8484 RR	36.7	9/30	2.1	32	29.5	43.9	41.1	
EXCEL	8499 NRR	41.1	9/29	2.3	38	33.3	49.0		
FS HISOY	HS 4316	45.4	10/2	1.9	33	31.0	59.8	52.1	
FS HISOY	HS 4516	39.7	9/30	1.9	36	30.2	49.1	47.2	
FS HISOY	RT 4495	38.9	10/1	3.2	37	30.3	47.4	47.5	51.1
FS HISOY	RT 4895	37.5	10/1	2.9	40	29.7	45.4		
FS HISOY	X 4026	38.9	9/27	2.3	35	33.1	44.6		
FS HISOY	X 4028	43.2	10/2	1.7	31	28.7	57.6		
FS HISOY	X 4228	50.3	9/30	1.9	33	35.1	65.5		
FS HISOY	X 4626	42.5	10/2	1.9	35	25.2	59.8		
FS HISOY	X 4826	46.2	9/30	2.6	37	35.9	56.5		
GARST	4512 RR/N	39.5	10/1	2.4	38	27.2	51.8	48.9	
GARST	D 484 RR/N	34.5	10/1	2.9	39	25.9	43.2	43.8	48.3
KRUGER	EX 410 RR/SCN . . .	48.1	9/30	1.8	32	31.6	64.6		
KRUGER	EX 464 RR/SCN . . .	46.6	9/30	1.7	34	29.2	63.9		
KRUGER	EX 477 RR/SCN . . .	45.3	9/29	2.4	37	33.2	57.3		
KRUGER	EX 484 RR/SCN . . .	38.6	10/1	2.4	38	28.0	49.2		
KRUGER	K-410A RR/SCN . . .	45.1	9/28	1.6	33	27.2	63.1		
KRUGER	K-422 RR	46.6	10/1	1.7	34	33.0	60.3		
KRUGER	K-424 RR/SCN	46.1	10/1	1.8	33	27.8	64.4		
KRUGER	K-430 RR/SCN	45.8	9/30	1.7	31	34.5	57.2		
KRUGER	K-443 RR/SCN	47.4	10/1	1.9	32	34.9	59.8	44.4	
KRUGER	K-443-3 RR/SCN . . .	40.0	10/1	1.9	38	30.2	49.7	48.7	
MIDWEST SEED GEN	GR 4752	45.7	9/30	2.5	36	30.2	61.3		
MILES	SC SILAS	40.1	9/29	2.1	38	30.4	49.8		
MILES	SC TITUS	36.1	10/1	3.0	38	29.1	43.1	43.1	47.0
PIONEER	94B54	37.7	10/1	2.9	38	35.2	40.1		
PIONEER	94B73	43.0	10/1	2.6	39	38.2	47.7		
PIONEER	94B74	37.0	9/30	2.8	39	27.9	46.0		
SOUTHERN STATES	RT 4098	35.1	10/1	1.9	34	28.7	41.5	38.5	44.0
SOUTHERN STATES	RT 446 N	35.0	9/29	2.5	38	28.6	41.4	39.9	42.1
SOUTHERN STATES	RT 4502 N	43.3	9/29	2.5	42	33.3	53.3		
SOUTHERN STATES	RT 4720 N	37.9	10/1	2.8	43	31.7	44.1		
SOUTHERN STATES	RT 4810 N	31.1	9/29	3.0	40	29.4	32.8		
SOUTHERN STATES	RT 4980	40.3	9/29	2.5	40	32.7	48.0	44.2	45.1
STEYER	4410 RRSCN	38.2	9/29	1.8	37	30.9	45.5		
STEYER	4700 RRSTSSCN . . .	36.1	9/30	2.6	36	29.6	42.7		
STINE	S 4202-4	46.6	10/2	1.8	33	31.3	62.0	54.3	
STINE	S 4882-4	44.8	9/29	2.7	37	36.0	53.6		
THOMPSON	T-4212 RR/N	47.3	10/1	1.7	34	32.4	62.3		
THOMPSON	T-4300 RR/N	42.3	10/2	1.8	33	29.7	54.9		
THOMPSON	T-4333 RR/N	45.8	10/2	1.8	34	33.1	58.5		
THOMPSON	T-4444 RR/N	40.2	10/1	2.2	36	26.3	54.2		
THOMPSON	T-4545 RR/N	48.9	10/1	1.8	35	32.8	65.0		
THOMPSON	T-4777 RR/N	42.3	9/30	2.4	38	33.7	50.9		
THOMPSON	T-4848 RR/N	44.7	10/1	2.7	36	34.6	54.7		
TRISLER	TRISOY 4227 RR . . .	47.8	10/1	1.7	34	31.1	64.4		
TRISLER	TRISOY 4314 RR . . .	37.5	10/1	2.4	38	26.2	48.8		
TRISLER	TRISOY 4697 RR . . .	35.6	10/1	2.8	37	28.8	42.4		
UAP	DG 3437 NRR	50.2	10/1	2.0	34	35.2	65.2	53.0	
UAP	DG 3443 NRR	37.0	9/30	2.1	35	31.3	42.6	47.2	
UAP	DG 3468 NRR	40.9	10/1	1.9	34	32.2	49.7	45.5	

2002 Soybean Test Results
Region 5: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY	Regional Results				Carbondale Yield bu/a	Dixon Springs Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
		Yield bu/a	Maturity Date	Lodging	Height in				
UAP	DG 3484 NRR	43.2	10/1	2.6	41	34.7	51.7	47.8	
UNITED SUPPLIERS	US S4002 RR	41.5	9/26	2.0	35	28.1	54.8	45.9	
UNITED SUPPLIERS	US S4402 RR	38.9	9/29	2.2	36	32.1	45.7	47.5	
UNITED SUPPLIERS	US S4803 RR	44.4	10/1	2.7	39	37.5	51.3		
AVERAGE		41.8	9/30	2.2	36	31.4	52.2	46.4	47.4
L.S.D. 25% LEVEL		6.9		0.6	3	4.4	4.5		
COEFF. OF VAR (%)		24.7		38.7	11	14.8	9.2		

MATURITY GROUP 5

DELTA KING	5366 RR	46.1	10/16	2.6	36	41.1	51.1	48.5	
DELTA KING	5465 RR	43.3	10/12	2.4	34	38.2	48.4	47.3	
EXCEL	8517 NRR	44.0	10/9	2.3	40	34.9	53.1		
FS HISOY	X 5426	44.4	10/13	2.3	32	38.9	50.0		
SOUTHERN STATES	RT 5001 N	40.1	10/15	2.4	35	35.5	44.7	42.6	
AVERAGE		43.6	10/13	2.4	35	37.7	49.5	46.1	
L.S.D. 25% LEVEL		3.5		0.0	4	2.9	2.7		
COEFF. OF VAR (%)		10.3		0.0	13	13.3	9.6		

2002 Soybean Test Results
Urbana Conventional (7-inch row spacing)

COMPANY	VARIETY	Yield bu/a	Maturity Date	Lodging	Height in	2 yr Avg bu/a	3 yr Avg bu/a
MATURITY GROUP 2							
BECK'S	288	68.4	9/24	2.0	31	65.3	
DAIRYLAND	DSR-265 STS	71.0	9/24	2.0	34	61.7	64.4
DAIRYLAND	DSR-289 STS	66.3	9/25	2.7	36	60.6	
DAIRYLAND	DST 2343	70.8	9/24	2.0	36		
ILLINOIS PRIDE	LODA	61.3	9/18	2.2	30	62.9 [*]	63.7
ILLINOIS PRIDE	SAVOY	62.4	9/21	2.0	30	56.7	57.3
PUBLIC VARIETY	DWIGHT	67.9	9/23	1.8	32	64.4	66.8
PUBLIC VARIETY	JACK	65.0	9/26	3.2	42	61.2	62.3
PUBLIC VARIETY	LN 92-7369	59.9	9/23	1.8	32	55.8	56.7
SPECIALTY GRAINS	PAPASAN	62.9	9/24	2.0	34	56.8	
AVERAGE		65.6	9/23	2.2	34	60.6	61.9
L.S.D. 25% LEVEL		1.5		0.1	1	-	
COEFF. OF VAR (%)		4.0		12.2	4		

MATURITY GROUP 3

BECK'S	379 N	76.1	9/28	1.5	40	71.2	70.1
ILLINOIS PRIDE	ILP-3281 C	69.3	9/27	2.0	37	63.1	60.0
ILLINOIS PRIDE	MACON	70.9	9/30	1.5	38	63.9	64.1
ILLINOIS PRIDE	MAVERICK	76.7	9/30	2.0	49	69.2	66.7
PUBLIC VARIETY	IA 3005	66.9	9/28	1.5	34	62.7	62.3
PUBLIC VARIETY	LINFORD	66.6	9/27	2.3	46	56.7	56.0
PUBLIC VARIETY	PANA	70.6	9/28	2.3	44	64.8	63.4
PUBLIC VARIETY	WILLIAMS 82	67.1	10/1	1.5	47	55.3	53.5
PUBLIC VARIETY	YALE	65.9	9/26	1.5	37	58.5	57.7
AVERAGE		70.0	9/28	1.8	41	62.8	61.5
L.S.D. 25% LEVEL		2.2		0.1	1		
COEFF. OF VAR (%)		5.7		12.1	6		

2002 Soybean Test Results
Urbana Roundup Resistant (7-inch row spacing)

COMPANY	VARIETY	Yield bu/a	Maturity Date	Lodging	Height in	2 yr Avg bu/a	3 yr Avg bu/a
MATURITY GROUP 2							
BECK'S	283 RR	61.8	9/22	1.7	33	55.4	
BECK'S	295 NRR	62.0	9/23	1.7	31	64.2	
BECK'S	306 NRR	63.4	9/24	1.8	34		
BECK'S	EX 6047	61.1	9/22	1.7	29		
DAIRYLAND	DSR-232 RR	55.0	9/13	1.8	27	55.8	59.8
DAIRYLAND	DSR-255 RR	54.2	9/23	1.8	33		
DAIRYLAND	DSR-268 RR	57.2	9/16	1.7	34	57.7	
DAIRYLAND	DSR-274 RR	61.6	9/21	2.0	33		
DAIRYLAND	DSR-297 RR	59.3	9/18	1.5	32		
EXCEL	8313 NRR	68.7	9/26	2.2	35		
GREAT LAKES	GL 2704 RR	52.6	9/16	1.7	33	52.4	
GREAT LAKES	GL 2709 RR	63.4	9/18	1.8	33		
HOBLIT	HB 293 NRR	61.6	9/25	1.5	30		
SUN AG	SAS 2962 RR	61.1	9/24	1.8	31		
SUN PRAIRIE	SP 2902 NRR	63.4	9/25	1.8	30	63.9	
WILKEN	2433 RR	51.4	9/11	2.0	31		
WILKEN	2568 RR	57.5	9/17	1.8	34		
WILKEN	2577 RR	56.4	9/17	1.8	31	55.2	59.0
WILKEN	2663 RR	57.7	9/18	1.8	34		
WILKEN	2691 NRR	62.4	9/25	1.7	32		
WILKEN	WE 881 NRR	56.4	9/23	1.5	31		
WILKEN	WE 983 NRR	65.2	9/22	2.0	33		
AVERAGE		59.0	9/20	1.8	32	57.8	59.4
L.S.D. 25% LEVEL		5.4		0.4	2		
COEFF. OF VAR (%)		9.5		14.9	7		

MATURITY GROUP 3

BECK'S	323 RR	70.3	9/24	1.5	33	68.1	68.5
BECK'S	336 NRR	69.4	9/24	1.5	36	66.2	66.2
BECK'S	355 RR	59.4	9/27	1.5	29		
BECK'S	367 NRR	67.6	9/25	1.5	33	66.2	
DAIRYLAND	DSR-301 RR	66.2	9/25	1.5	38	65.4	
DAIRYLAND	DSR-320 RR	56.7	9/27	1.5	32		
DAIRYLAND	DSR-327 RR	63.1	9/24	1.5	35	61.7	62.0
DAIRYLAND	DSR-340 RR	66.4	9/26	1.5	36	63.9	
DAIRYLAND	DSR-363 RR	70.2	9/29	1.5	37	66.3	63.9
DAIRYLAND	DSR-375 RR	65.3	9/25	1.5	39	61.7	
DAIRYLAND	DSR-395 RR	69.8	10/1	1.5	37	61.9	58.9
DAIRYLAND	DST 3220 RR	67.8	9/25	1.5	35		
EXCEL	8341 NRR	69.1	9/27	1.5	38	65.2	
EXCEL	8378 NRR	66.2	9/25	1.5	34		
EXCEL	8385 RR	65.0	9/26	1.5	38		
EXCEL	8393 NRR	69.6	9/30	1.5	36		
GREAT LAKES	GL 3007 RR	63.4	9/22	1.5	35		
GREAT LAKES	GL 3209 RR	61.5	9/24	1.5	35		
GREAT LAKES	GL 3409 RR	71.5	9/26	1.5	37	67.9	
MAVRICK	0322 RR	63.4	9/22	1.5	31		
MAVRICK	1335 RR	58.0	9/25	1.5	33		
SUN AG	SAS 3120 RR	63.7	9/26	1.5	32		
SUN PRAIRIE	SP 3302 NRR	55.1	9/24	1.5	32		
SUN PRAIRIE	SP 3602 NRR	75.4	9/27	1.5	35		
WILKEN	3412 RR	62.2	9/27	1.5	32		

2002 Soybean Test Results
Urbana Roundup Resistant (7-inch row spacing)

COMPANY	VARIETY	Yield bu/a	Maturity Date	Lodging	Height in	2 yr Avg bu/a	3 yr Avg bu/a
WILKEN	3419 NRR	69.8	9/25	1.5	38	68.2	
WILKEN	3461 NRR	71.8	9/28	1.5	35	69.4	
WILKEN	3471 NRR	66.0	9/26	1.5	37		
	AVERAGE	65.8	9/25	1.5	35	65.5	63.9
	L.S.D. 25% LEVEL	4.5			2		
	COEFF. OF VAR (%)	7.1			7		

MATURITY GROUP 4

DAIRYLAND	DSR-401 RR	62.0	9/27	1.5	41	58.4	
EXCEL	8420 NRR	61.1	10/1	1.7	38		
EXCEL	8427 NRR	66.4	9/28	1.5	32		
EXCEL	8448 NRR	69.9	9/30	1.5	33		
	AVERAGE	64.9	9/29	1.5	36	58.4	
	L.S.D. 25% LEVEL	2.2		0.1	1		
	COEFF. OF VAR (%)	5.8		9.4	3		

UNIVERSITY OF ILLINOIS-URBANA



3 0112 048239617